View NSN Online: https://aerobasegroup.com/nsn/8010-00-926-1489

Product ID:TURCO #6037 MSDS Date:01/01/1987 FSC:8010 NIIN:00-926-1489 MSDS Number: BFWSB === Responsible Party === Company Name: TURCO PRODUCTS, INC. Address:7300 BOLSA AVENUE City:WESTMINSTER State:CA ZIP:92684-3600 Info Phone Num:714-890-3600 Emergency Phone Num:614-387-6200 CAGE:D9808 === Contractor Identif ication === Company Name: TURCO PRODUCTS, INC. Address:7300 BOLSA AVE Box:6200 City:WESTMINSTER State:CA ZIP:92684-3600 Country:US Phone:614-387-6200 CAGE:0BYN5 Company Name: TURCO PRODUCTS, INC. Box:6200 City:PHILADELPHIA State:PA ZIP:19103 Country:US Phone:215-419-7890 CAGE:D9808

Ingred Name:METHYLENE CHLORIDE (SARA III) CAS:75-09-2 RTECS #:PA8050000 Fraction by Wt: 40.0% OSHA PEL:500 PPM/C,1000; Z2 ACGIH TLV:50 PPM, A2; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:PHENOL CAS:108-95-2 RTECS #:SJ3325000 Fraction by Wt: 15.0% OSHA PEL:S, 5 PPM ACGIH TLV:S, 5 PPM; 8990 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM CHROMATE (SARA III) CAS:7775-11-3 RTECS #:GB2955000 Fraction by Wt: 35.0% OSHA PEL:0.1 PPM CRO3;CEILING ACGIH TLV:0.05 MG CR/M3; 9192 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO Health Hazards Acute and Chronic:SEE SIGNS & SYMPTOMS OF OVEREXPOSURE. Explanation of Carcinogenicity:CHROMINUM VI IS HUMAN CARCINOGEN BY IARC,NTP. Effects of Overexposure:INHALATION: HEADACHE AND LOSS OF COORDINATION.INGESTION: NAUSEA.SKIN:DEFATTING ACTION

Medical Cond Aggravated by Exposure:PRE-EXISTING RESPIRATORY AILMENTS. SYMPTOMS MAY BE AGGRAVATED BY SMOKING.

First Aid:EYES:MODERATE TO S EVERE IRRITATION. INHALATION:REMOVE TO FRESH AIR. INGESTION:CAUSE VOMITING,GIVE WARM SALT OR SOAPY WATER,CELL DOCTOR. EYES:FLUSH WITH WATER,CALL DOCTOR.

Flash Point:NONE Extinguishing Media:CARBON DIOXIDE,DRY CHEMICAL,CHEMICAL FOAM Fire Fighting Procedures:WEAR GAS MASK Unusual Fire/Explosion Hazard:THERMAL DECOMPOSITION MAY PRODUCE TOXIC OXIDES OF CHLORINE

======= Accidental Release Measures =======

Spill Release Procedures: VENTILATE.EVACUATE PERSONNEL.WEAR SCBA & PROTECTIVE EQUIPMENT.ABSORB IN INERT MATERIAL & PLACE IN APPROPRIATE DISPOSAL CONTAINER.WASH WITH WATER.ABSORB WASHINGS IN INERT MATERIAL & PLACE IN APPROPRIAT E DISPOSAL CONTAINER.

Other Precautions: AVOID FREEZING. OPEN OR VARNISH REMOVING LIQUID

Respiratory Protection:FRESH AIR HOOD IN ENCLOSED AREA Ventilation:LOCAL EXHAUST Protective Gloves:SOLVENT RESISTA Eye Protection:FACE SHIELD Other Protective Equipment:SOLVENT RESISTANT APRON Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.REMOVE & LAUNDER CONTAMINATED CLOTHING.DISCARD CONTAMINATED SHOES. Supplemental Safety and Health THIS P/ N 6037 COMPLIES WITH MIL-R-81294B,TYPE 1. FOR P/N 5469,MIL-R-81294C,SEE PNI B,SAME NSN.

HCC:T4 Boiling Pt:B.P. Text:100F Vapor Pres:160 Vapor Density:>1 Spec Gravity:1.03 Evaporation Rate & amp; Reference:EQUAL TO NBUACT Solubility in Water:APPRECIABLE Appearance and Odor:THICK OPAQUE YELLOW BROWN LIQUID, AMMONIA ODOR

Stability Indicator/Materials to Avo

id:YES STRONG OXIDIZERS Hazardous Decomposition Products:TOXIC OXIDES OF CHLORINE

Waste Disposal Methods:TRANSFER TO LICENSED HAZARDOUS WASTE TREATMENT FACILITY. COMPLY WITH APPLICABLE FEDERAL,STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoe ver,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.