View NSN Online: https://aerobasegroup.com/nsn/6850-00-927-9461

NONFLUID OIL CORPORATION -- CHEM-PLEX 1381 -- 6850-00-927-9461

Product ID:CHEM-PLEX 1381 MSDS Date:01/01/1987 FSC:6850 NIIN:00-927-9461 MSDS Number: BFXBC === Responsible Party === **Company Name:NONFLUID OIL CORPORATION** Emergency Phone Num: (201) 344-3451 CAGE:76736 === Contractor Identification === Company Name: NONFLUID OIL CORP/NFO TECHNOLOGIES, INC Address:298 D ELANCY ST **City:NEWARK** State:NJ ZIP:07105-3009 Country:US Phone:201-344-3451/800-424-9300(CHEMTREC) CAGE:76736

Ingred Name:DIMETHYL SILICONE (TLV AS AN OIL MIST =5MG/CUM) ACGIH TLV:NOT SPECIFIED

Ingred Name:ZINC OXIDE CAS:1314-13-2 RTECS #:ZH4810000 OSHA PEL:15MG/M3 TDUST/5 FUME ACGIH TLV:10MG/M3 TDUST; 9293

Effects of Overexposure:MAY CAUSE TEMPORARY DISC OMFORT TO EYES.

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF NEED;EYES/SKIN:FLUSH W LG AMTS H*20 FOR 15 MIN;INGEST:RINSE MOUTH; GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER SYMPTOMS OF OVEREXPOSURE.

Flash Point:500F/260C (C.O.C Extinguishing Media:CO*2,FOAM,DRY CHEMICAL Fire Fighting Procedures:USE NIOSH APPROVED SCBA IN FIRES AND IN

CONFINED AREA.

Unusual Fire/Explosion Hazard:NONE NOTED BY MFR.

	Accidental Release Measures	
--	-----------------------------	--

Spill Release Procedures: USE PROPER PERSONAL PROTECTION. WIPE UP OR USE ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL.

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED AREA.KEEP CONTAINER CLOSED WHEN NOT IN USE.
Other Precautions:AVOID SKIN
AND EYES CONTACT.WASH AFTER EACH USE.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NO SPECIAL REQMNTS UNDER ORDINARY CONDITIONS/ADEQUATE VENT. Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE VENTILATION Protective Gloves:IMPERVIOUS Eye Protection:SAFETY GLASSES Other Protective Equipment:AS REQUIRED TO PREVENT PROLONGED CONTACT. Supplemental Safety and Health MSDS UNDATED

====== Physical/Chemical Properties =====

HCC:N1 Boiling Pt:B.P. Text:>300F/149C Vapor Pres: