View NSN Online: https://aerobasegroup.com/nsn/6750-00-929-8101

Product ID:DA21218,C & H FIXER AND REPLENISHER, PART A MSDS Date:01/06/1988 FSC:6750 NIIN:00-929-8101 Kit Part:Y MSDS Number: BFXCX === Responsible Party === Company Name: CLAYTON CHEMICAL CO. Address:13310 S. FIGUEROA STREET **City:LOS ANGELES** State:CA ZIP:90061 Country:US Info P hone Num:310-538-9530 Emergency Phone Num:310-538-9530/800-424-9300(CHEMTREC) Preparer's Name: JOHN B. TAYLOR CAGE:61803 === Contractor Identification === Company Name: CLAYTON CHEMICAL CO. Address:13310 S. FIGUEROA STREET Box:City:LOS ANGELES State:CA ZIP:90061 Country:US Phone:310-538-9530/800-424-9300(CHEMTREC) CAGE:61803 Company Name: CLAYTON CHEMICAL CO., A DIV OF VARICHEM CORP Address:RR 1 Box:276-Z City:HEATHSVILLE State:VA ZIP:22473 Country:US Phone:703-759-9399 CAGE:6W820

====== C

omposition/Information on Ingredients ==========

Ingred Name:AMMONIUM THIOSULFATE CAS:7783-18-8 RTECS #:XN6465000 Fraction by Wt: 45-50% Other REC Limits:NONE SPECIFIED

Ingred Name:SODIUM SULFITE CAS:7757-83-7 RTECS #:WE2150000 Fraction by Wt: 5-7% Other REC Limits:NONE SPECIFIED

Ingred Name:ACETIC ACID (SARA III) CAS:64-19-7 RTECS #:AF1225000 Fraction by Wt: 1-2% Other REC Limits:NONE SPECIFIED OSHA PEL:10 PPM ACGIH TLV:10 PPM/15 STEL; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

===

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:SEE "SIGNS & SYMPTOM" Effects of Overexposure:EYES:IRRITATION; SKIN:POSSIBLE IRRITATION ON PROLONGED CONTACT; INGEST:PAIN, & UPSET STOMACH. Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN DISORDERS,EYE PROBLEMS,OR RESPIRATORY PROBLEMS MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

First Aid:EYE:FLUSH WITH PLENTY OF WATER; SKIN:WASH WITH SOAP & WATER: INGEST:DRINK WATER & MILK, INDUCE VOMITING, & CALL A PHYSICIAL IMMEDIATELY.

Extinguishing Media:WATER SPRAY,DRY CHEMICAL,CARBON DIOXIDE Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS & PROTECTIVE CLOTHING. Unusual Fire/Explosion

Hazard:EXTREME HEAT OR FIRE MAY CAUSE EMISSION OF HAZARDOUS DECOMPOSITION PRODUCTS.
======================================
Spill Release Procedures: MOP UP SMALL SPILLS IN WASTE TOWELING & DISPOSE OF IN A PROPER CONTAINER, LOCAL STATE & FEDERAL REGULATIONS TAKING PRECEDENCE. FOR LARGE SPILLS: FLUSH TO SEWER WITH PLENTY OF WATER.
Neutralizing Agent:NONE STATED.
======================================
Handling and Storage P recautions:AVOID BREATHING FUMES/VAPORS.WEAR APPROPRIATE PROTECTIVE CLOTHING. Other Precautions:NONE
======================================
Respiratory Protection:NONE NEEDED IN NORMAL CONDITIONS OF USE. Ventilation:NORMAL ROOM VENTILATION & LOCAL EXHAUST. Protective Gloves:RUBBER/NEOPRENE Eye Protection:CHEMICAL SAFETY GOGGLES Other Protective Equipment:EYE WASH FACILITY. Work Hygienic Practices:WASH BEFORE EAT/DRINK.REMOVE CONTAMINATED CLOTHING & SHOES.WA SH BEFORE RE-USE. Supplemental Safety and Health KEY1:N1 PART A OF KIT IS NOT CORROSIVE.
======================================
HCC:N1 Boiling Pt:B.P. Text:>212F/>100C Spec Gravity:1.35 pH:5.3 Solubility in Water:COMPLETE Appearance and Odor:CLEAR, PALE STRAW; SOUR ODOR OFF AMMONIA &

VINGEGAR.

Stability Indicator/Materials to Avoid:YES MINERAL ACIDS & STRONG ALKALIS. Stability Condition to

## Avoid:NOT KNOWN Hazardous Decomposition Products:SULFUR DIOXIDE IF WITH ACIDS; AMMONIA IF WITH AMMONIA.

Waste Disposal Methods: FLUSH TO SEWER WITH PLENTY OF WATER, & COMPLY WITH FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.