

VULCAN METAL PRODUCTS INC -- SOLVENT 11 -- 6810-00-930-6311

=====  
Product Identification  
=====

Product ID:SOLVENT 11

MSDS Date:01/01/1987

FSC:6810

NIIN:00-930-6311

MSDS Number: BFXDZ

=== Responsible Party ===

Company Name:VULCAN METAL PRODUCTS INC

Address:NO 1 IRONDALE INDUSTRIAL PK

Box:101269

City:BIRMINGHAM

State:AL

ZIP:35210-1232

Country:US

Info Phone Num:316-524-5751

Emergency Phone Num:415-8

21-5338

CAGE:05114

=== Contractor Identification ===

Company Name:VULCAN METAL PRODUCTS INC

Address:NO 1 IRONDALE INDUSTRIAL PK

Box:101269

City:BIRMINGHAM

State:AL

ZIP:35210-1232

Country:US

Phone:415-821-5338

CAGE:05114

=====  
Composition/Information on Ingredients  
=====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ2975000

OSHA PEL:350 PPM/450 STEL

ACGIH TLV:350 PPM/450STEL;9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ozone Depleting

Chemical:1

===== Hazards Identification =====

Effects of Overexposure:DROWSINESS, NAUSEA, VOMITING, UNCONSCIOUSNESS;  
DEATH IN EXTREME CASES

===== First Aid Measures =====

First Aid:REMOVE TO FRESH AIR. REMOVE CONTAMINATED CLOTHING. GIVE  
ARTIFICIAL RESPIRATION IF NECESSARY.KEEP WARM AND QUIET. FOR EYE  
CONTACT WASH WITH LARGE AMOUNTS OF WATER. CALL PHYSICIAN. NEVER  
ADMINISTER ADRE NALINE.

=====  
== Accidental Release Measures =====

Spill Release Procedures:EVACUATE AREA AND VENTILATE. AVOID BREATHING  
VAPOR. AVOID CONTACT WITH LIQUID. CONTAIN SPILL. CLEAN UP AREA,  
TRANSFERRING TO STORAGE CONTAINER BY MOPPING OR USE OF ABSORBENT  
MATERIAL.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID VAPORS AND CONTACT WITH SKIN.  
PIPE VENTS OUTDOORS. STORE IN COOL, DRY VENTILATED AREA.

Other Precautions:PREVENT  
MOIST AIR FROM ENTERING STORAGE. NO SMOKING  
IN PRESENCE OF VAPORS.

===== Exposure Controls/Personal Protection =====

Supplemental Safety and Health  
METHYL CHLOROFORM. 72C-88C. FIREMAN IN BUILDING WHERE  
1,1,1-TRICHLOROETHANE IS STORED. OR PCV COATED

===== Physical/Chemical Properties =====

HCC:T4

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
Stability Condition to Avoid:CON

TACT WITH OPEN FLAME, HOT SURFACES,  
WELDING ARC EMISSION

Hazardous Decomposition Products:HYDROGEN CHLORIDE, PHOSGENE, OTHER  
HIGHLY TOXIC SUBSTANCES.

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT MANUFACTURER OR LOCAL POLLUTION CONTROL  
AGENCY.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in  
no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.