View NSN Online: https://aerobasegroup.com/nsn/8030-00-935-5816

Product ID: GRADE N, FORM, COLOR CODE GREEN MSDS Date:01/01/1987 FSC:8030 NIIN:00-935-5816 **MSDS Number: BFXRL** === Responsible Party === Company Name: THREE BOND OF AMERICA Emergency Phone Num:213-556-3614 CAGE:DO698 === Contractor Identification === Company Name: GENERAL SERVICES ADMINISTRATIO N FEDERAL SUPPLY SVC Address: CYSTAL MALL BLDG 4 1941 JEFFERSON DAVIS Box:HWY **City:WASHINGTON** State:DC ZIP:20406 Country:US CAGE:80244 Company Name: THREE BOND OF AMERICA, INC Address:20815 HIGGINS COURT Box:City:TORRANCE State:CA ZIP:90501 Phone:800-424-9300 CHEMTREC CAGE:DO698

Ingred Name:1,1,1-TRI-CHLOROETHANE RTECS #:YB2500000 Fraction by Wt: 90.0%

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III) CAS:67-56-1 RTECS #:PC140 0000 Fraction by Wt: 7.2% OSHA PEL:S,200PPM/250STEL ACGIH TLV:S,200PPM/250STEL; 93 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:PEROXIDE (TYPE NOT SPECIFIED)	1

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III) CAS:78-93-3 RTECS #:EL6475000 Fraction by Wt: 2.5% Other REC Limits:NONE RECOMMENDED OSHA PEL:200 PPM ACGIH TLV:200 PPM/300STEL;9394 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Effects of Overexposur e:EYE AND SKIN IRRITANT. EFFECT CAN BE DELAYED. POTENTIAL SENSITIZER.

First Aid:IN CASE OF CONTACT, FLUSH SKIN WITH PLENTY OF WATER; FOR EYES FLUSH WITH WATER FOR AT LEAST 15 MINUTES AND SEEK MEDICAL ATTENTION.WASH CONTAMINATED CLOTHING BEFORE RE-USE.(DISCARD CONTAMINATED SHOES).

Flash Point:200F CC 93F Extinguishing Media:FOAM,CARBONDIOXIDE OR DRY CHEMICAL,WATER SPRING. Fire Fighting Procedures:EVACUATE AREA OF ALL NON EMERGENCY PERSONNEL.FIRE FIGHTRS MU

Spill Release Procedures: AVOID EYE OR SKIN CONTACT OR ORAL INGESTION.WEAR PROTECTIVE EQUIPMENT AS DESCRIBED IN SECTION VIII BELOW.WASH AREA THOROUGHLY AND COLLECT MATERIAL FOR INCINERATION.

Handling and Storage Precautions:STORE IN

A COOL PLACE IN ORIGNAL CONTAINER;KEEP OUT OF DIRECT SUNLIGHT.THE EMPLOYER SHOULD PROVIDE A CHANGE OF CLOTHING AND SHOES WHICH ARE TO BE AIR
======================================
Respiratory Protection:NO SPECIAL VENTILATION REGUIRED Ventilation:LOCAL EXHAUST PREFERRED.MECHANICAL (GENERAL)NORMAL VENTILATI Protective Gloves:IMPERVIOUS GLOV Eye Protection:CHEMICAL SAFETY GOGGLES
Other Protective Equipment: IMPERVIOUS OVERSHOES AND PROTECTIVE CLOTHING Sup
plemental Safety and Health
======================================
HCC:N1 Boiling Pt:B.P. Text:85C 185F Evaporation Rate & Reference:SLOWER THAN ETHER Percent Volatiles by Volume:99%
======================================
Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:CARBON MONOXIDE,CARBON DIOXIDE
======================================
Waste Disposal Methods:CHEMICAL IN CINERATOR.
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their partic ular situation.