

AERVOE-PACIFIC CO INC -- 36440 -- 8010-00-935-7085

=====
Product Identification
=====

Product ID:36440
MSDS Date:01/01/1985
FSC:8010
NIIN:00-935-7085
MSDS Number: BFXWY
=== Responsible Party ===
Company Name:AERVOE-PACIFIC CO INC
Address:2424 MERCED ST.
Box:2112
City:SAN LEANDRO
State:CA
ZIP:94577-4211
Country:US
Emergency Phone Num:415-351-4860
CAGE:33451
=== Contractor Identification ===
Compan
y Name:AERVOE-PACIFIC CO, INC.
Address:1198 SAWMILL RD
Box:City:GARDNERVILLE
State:NV
ZIP:89410
Country:US
Phone:(702)-782-0100
CAGE:33451

=====
Composition/Information on Ingredients
=====

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 17.0%
OSHA PEL:200 PPM/150 STEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:ACETONE (SARA III)
CAS:67-64-1
RTECS #:AL3150000
Fraction by Wt: 38.0%
OSHA PEL:1000PPM
ACGIH TLV:75

OPPM/1000STEL;9293
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:BUTYL CELLOSOLVE ACETATE
CAS:112-07-2
RTECS #:KJ8925000
Fraction by Wt: 5.0%

Ingred Name:DICHLORODIFLUOROMETHANE (SARA III)
CAS:75-71-8
RTECS #:PA8200000
Fraction by Wt: 40.0%
OSHA PEL:1000 PPM
ACGIH TLV:1000 PPM; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS
Ozone Depleting Chemical:1

=====
===== Hazards Identification =====

Effects of Overexposure:IRRITATION OF EYES AND RESPIRATORY TRACT.

POSSIBLE HEADACHES AND DIZZINESS

=====
===== First Aid Measures =====

First Aid:FUMES--MOVE AFFECTED TO FRESH AIR, RESTORE BREATHING, GET
MEDICAL AID. EYE CONTACT--FLUSH THOROUGHLY WITH WATER, GET MEDICAL
AID

=====
===== Fire Fighting Measures =====

Flash Point:-2.2F
Lower Limits:1.0
Extinguishing Media:CO2, DRY CHEMICAL OR FOAM
Fire Fighting Procedures:USE WATER SPRAY TO COOL CLOSED CONTANERS
EXPOSED TO HEAT
Unusual
Fire/Explosion Hazard:KEEP FROM HEAT, SPARKS OR OPEN
FLAME.CLOSED CONTAINERS MAY EXPLODE IF EXPOSED TO EXTREME HEAT OR
FIR

=====
===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE SOURCES OF IGNITION--VENTILATE AREA

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE BELOW 120F. KEEP CONTAINERS AWAY
FROM HEAT AND OPEN FLAME
Other Precautions:AVOID INHALATION OF SPRAY MIST. DO NOT

TAKE
INTERNALLY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:PAINT SPRAY MASK
Ventilation:PROVIDE VENTILATION TO KEEP VAPORS BELOW TLV.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V3
Boiling Pt:B.P. Text:-10F
Vapor Density:1+
Spec Gravity:0.9
Evaporation Rate & Reference:10
Solubility in Water:NONE

===== Stability and Reactivity Data =====

Stability
Indicator/Materials to Avoid:YES
Hazardous Decomposition Products:CARBON MONOXIDE FUMES ON IGNITION

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH LOCAL REGULATIONS. DO NOT INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressl
y or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.