View NSN Online: https://aerobasegroup.com/nsn/6850-00-935-9794

Product ID:FILTROL CLAY PRODUCT DESICCITE 25

MSDS Date:09/05/1984

FSC:6850

NIIN:00-935-9794

MSDS Number: BFXZL

=== Responsible Party ===

Company Name: HARSHAW/FILTROL PARTNERSHIP

Address:30100 CHAGRIN BLVD.

City:CLEVELAND

State:OH ZIP:44124

Info Phone Num:216-292-9200

Emergency P

hone Num:216-292-9200

CAGE:8Z371

=== Contractor Identification ===

Company Name: HARSHAW/FILTROL PARTNERSHIP

Address:30100 CHAGRIN BLVD

Box:City:CLEVELAND

State:OH

ZIP:44124-5705

Country:US

Phone:216-349-7300

CAGE:8Z371

======= Composition/Information on Ingredients ========

Ingred Name: SILICA, CRYSTALLINE - QUARTZ

CAS:14808-60-7 RTECS #:VV7330000 Fraction by Wt: 3%

OSHA PEL:SEE TABLE Z3

ACGIH TLV:0.1 MG/M3 RDUST;9293

======== Hazards Identification ==========

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: INHALATION: DUSTS CAUSE IRRITATION AND MAY CAUSE A DISABLING, PROGRESSIVE PULMONARY FIBROSIS DUE TO THE FREE QUARTZ SILICA. SYMPTOMS INCLUDE COUGH, DYSPNEA, WHEEZING & IMPAIRMENT OF PULMONARY FUNCTION. PROGRESSION OF SYMPTOMS CAN CONTINUE AFTER DUST EXPOSURE CEASES. **Explanation of Carcinogenicity: NOT LISTED** Effects of Overexposure:CO UGH, DYSPNEA, WHEEZING AND IMPAIRMENT OF PULMONARY FUNCTION. Medical Cond Aggravated by Exposure: PULMONARY DISORDERS First Aid:EYE & SKIN CONTACT: IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. CALL A PHYSICIAN, FLUSH SKIN WITH WATER. INHALATION: REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGE N. CALL A PHYSICIAN. Fire Fighting Procedures: NONE Unusual Fire/Explosion Hazard:NONE ========= Accidental Release Measures ============ Spill Release Procedures: IF NOT CONTAMINATED, SCOOP OR VACUUM INTO CONTAINER FOR DISPOSAL. AVOID DUSTING. Neutralizing Agent:NONE

============= Handling and Storage ==========================

Handling and Storage Precautions: STORE IN DRY AREA. KEEP CONTAINERS TIGHTLY CLOSED. PROTECT FROM DAMAGE. Other Precautions: AVOID BREATHING DUST.

====== Exposure Controls/Personal Protection ========
Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR AS NECESSARY. Ventilation:GENERAL; LOCAL EXHAUST VENTILATION AS NECESSARY TO CONTROL DUST.
Protective Gloves:WORK GLOVES Eye Protection:CHEMICAL GOGGLES Other Protective Equipment:NONE Work Hygienic Practices:LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.
WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health NONE
======================================
HCC:N1 Spec Gravity:2.0 Solubility in Water:NEGLIGIBLE Appearance and Odor:CREAM TO WHITE COLORED POWDER. ODORLESS
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES NONE
Stability Condition to Avoid:NONE Hazardous Decomposition Products:NONE
======= Disposal Considerations ==========
Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND

LOCAL LAWS.

Disclaimer (prov

ided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.