

ROYAL LUBRICANTS CO.,INC. -- ROYCO 783D -- 9150-00-935-9807

=====
Product Identification
=====

Product ID:ROYCO 783D

MSDS Date:01/01/1987

FSC:9150

NIIN:00-935-9807

MSDS Number: BFYBK

=== Responsible Party ===

Company Name:ROYAL LUBRICANTS CO.,INC.

Emergency Phone Num:(201)887-7410

CAGE:07950

=== Contractor Identification ===

Company Name:ROYAL LUBRICANTS COMPANY INC.

Address:215 MERRY LN

Box:518

City:EAST HANOVER

State:NJ

ZIP:07936

Country:US

Phone:973-887-7411/7410

CAGE:07950

=====
Composition/Information on Ingredients
=====

Ingred Name:HYDROTREATED LIGHT NAPHTHENIC DISTILLATE, TAKE TLV AS OIL
MIST

CAS:64742-53-6

RTECS #:PY8036000

Fraction by Wt: >75%

ACGIH TLV:5MG/CUM(OILMIST)

Ingred Name:OTHER COMPONENTS (UNIDENTIFIED)

Fraction by Wt: 200F/93C (COC)

Lower Limits:1.0

Upper Limits:7.0

Extinguishing Media:CO*2, DRY CHEMICAL POWDER OR FOAM

Fire Fighting Procedures

:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED AREA.

Unusual Fire/Explosion Hazard:DO NOT USE WATER JET; USE REASONABLE CARE.

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;USE SUITABLE INERT ABSORBENT MATERIALS AND RECOVER FOR PROPER DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY PLACE WITH ADEQUATE VENTILATION.KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES.KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions:AVOID CONTACT WITH SKIN AND EYES AND CLOTHES;DO NOT INHALE VAPORS/MIST;WASH THOROUGHLY AFTER EACH USE;DO NOT USE CONTAMINATED CLOTHES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORG VAPORS/MIST IF ABOVE TLV.

Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE VENTILATION

Protective Gl

oves:NEOPRENE

Eye Protection:SAFETY/CHEM GOGGLES

Other Protective Equipment:FULL PROTECTIVE CLOTHING,SAFETY SHOWER,EYE WASH STATION

Supplemental Safety and Health

MSDS NOVEMBER 1, 1985.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:310F/154C

Vapor Density:>5.0

Spec Gravity:0.85

Solubility in Water:NEGLIGIBLE

Appearance and Odor:RED CLEAR FLUID WITH SLIGHT PETROLEUM ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid: HEAT, OPEN FLAMES

Hazardous Decomposition Products: CO AND UNIDENTIFIED ORG COMPS MAY BE FORMED ON COMBUSTION

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF COLLECTED MATERIALS IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated fo

r use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.