

WESTATES CARBON CO -- CC401 -- 6810-00-943-7346

=====  
Product Identification  
=====

Product ID:CC401  
MSDS Date:04/07/1989  
FSC:6810  
NIIN:00-943-7346  
MSDS Number: BFYMZ  
=== Responsible Party ===  
Company Name:WESTATES CARBON CO  
Address:2130 LEO AVE  
City:LOS ANGELES  
State:CA  
ZIP:90040-1634  
Country:US  
Info Phone Num:213-722-7500  
Emergency Phone Num:213-722-7500  
CAGE:62089

=== Contractor Identification  
===  
Company Name:WESTATES CARBON CO  
Address:2130 LEO AVE  
Box:City:LOS ANGELES  
State:CA  
ZIP:90040-1634  
Country:US  
CAGE:62089

=====  
Composition/Information on Ingredients  
=====

Ingred Name:CHARCOAL,ACTIVATED (ALSO KNOWN AS ACTIVATED CARBON)  
RTECS #:FL7242540  
Fraction by Wt: 100%

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and

Chronic:CONSIDERED BY MANUFACTURER TO BE  
NON-HAZARDOUS.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1%  
OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure:NONE, CONSIDERED TO BE NON-HAZARDOUS BY  
MANUFACTURER.

Medical Cond Aggravated by Exposure:CONTACT LENS WEARERS MAY AT RISK  
WHEN USING THIS MATERIAL.

=====  
===== First Aid Measures =====

First Aid:INHALED: REMOVE TO FRESH AIR. EYES: FLUSH  
WITH LOTS OF WATER

FOR 15 MINUTES. SEE DOCTOR. SKIN: WASH WITH SOAP AND WATER.

INGESTED: IF CONSCIOUS, GIVE 1-2 GLASSES OF WATER. IF SYMPTOMS  
DEVELOP, SEE A DOCTOR.

=====  
===== Fire Fighting Measures =====

Extinguishing Media:WATER, FOAM, CARBON DIOXIDE, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND  
PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:NONE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:NO SPECIAL PROCEDURE; SWEEP OR SCOOP AND PLACE  
IN A CONTAINER FOR LATER DISPOSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A DRY, VENTILATED AREA.

Other Precautions:AVOID BREATHING DUST.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:NORMAL ROOM VENTILATION

LATION.

Protective Gloves:NONE NORMALLY REQUIRED.

Eye Protection:NONE NORMALLY REQUIRED.

Other Protective Equipment:NONE NORMALLY REQUIRED.

Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING,  
DRINKING, OR SMOKING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Spec Gravity:0.41-0.51

Evaporation Rate & Reference:N/A (N-BUTYL ACETATE=1)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:GRANULAR, DARK SOLID, NO ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS AND OXYGENATED ORGANICS.

Stability Condition to Avoid:AVOID CONTACT WITH INCOMPATIBLES.

Hazardous Decomposition Products:INCOMPLETELY BURNED CARBON PRODUCTS  
AND OXIDES OF CARBON.

Conditions to Avoid Polymerization:CONTACT WITH STYRENE MONOMER

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND  
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.