View NSN Online: https://aerobasegroup.com/nsn/6810-00-949-0257

SHAPE PRODUCTS CO -- N-HEXANE, ACS -- 6810-00-949-0257

Product ID:N-HEXANE, ACS MSDS Date:01/01/1985 FSC:6810 NIIN:00-949-0257 MSDS Number: BFYTR === Responsible Party === Company Name:SHAPE PRODUCTS CO Address:1127 57TH AVE. City:OAKLAND State:CA ZIP:94621-4427 Country:US Info Phone Num:415-534-1186 Emergency Phone Num:415-534-1186 CAGE:DO984 === Contractor Ide ntification === **Company Name: SHAPE PRODUCTS** Address:1127 57TH AVE. Box:City:OAKLAND State:CA ZIP:94621-4427 Country:US Phone:510-534-1186 OR 800-444-0015 CAGE:3D869 Company Name: SHAPE PRODUCTS CO. Address:1127 57TH AVE. City:OAKLAND State:CA ZIP:94621-4427 Country:US Phone:415-534-1186 CAGE:DO984

Ingred Name:HEXANE (N-HEXANE) CAS:110-54-3 RTECS #:MN9275000 Fraction by Wt: 100% OSHA PEL:500 PPM ACGIH TLV:50 PPM; 9293 EPA Rpt Q

======================================
Effects of Overexposure:IRRITATION OF BRONCHUS;POLYNEURITIS SUCH AS VERTIGO(DIZZINESS),NUMBNESS OF EXTREMITIES,DIFFICULT WLK
======================================
First Aid:REMOVE TO AIR, GIVE ARTIFICIAL RESUSCITATION.
======================================
Flash Point:-9F Lower Limits:1.2 Upper Limits:8.00 Extinguishing Media:ALCOHO L FOAM
Fire Fighting Procedures:USE WATER TO KEEP FIRE-EXPOSED CONTAINERS COOL Unusual Fire/Explosion Hazard:NONE
======================================
Spill Release Procedures: AVOID SPARKS, OPEN FLAMES & OXIDIZERS.
======================================
Handling and Storage Precautions:KEEP CONTAINERS CLOSED;STORE IN WELL-VENTILATED,COOL & DARK PLACE,AWAY FROM SOURCES OF IGNITION.INSPECT FREQUENTLY EXISTENCE OF LEAK.WEAR RUB BER GLOVE Other Precautions:WEAR FACE PROTECTING BOARD, ALL PURPOSE GAS MASK, OVERALLS.
======================================
Respiratory Protection:ALL PURPOSE GAS MASK Ventilation:LOCAL EXHAUST IS REQUIRED Protective Gloves:RUBBER Eye Protection:SAFETY GOGGLES Other Protective Equipment:NONE Supplemental Safety and Health
HCC:F2
Dolling Dup D. Toyti 155 75

Boiling Pt:B.P. Text:155.7F Spec Gravity:0.6594 Evaporation Rate & amp; Reference: 1.9 Solubility in Water:NEGLIGIBLE Appearance and Odor:WHITE, FAINT ODOR Percent Volatiles by Volume:100

Stability Indicator/Materials to Avoid:YES SOURCES OF IGNITION, STRONG OXIDIZERS

Waste Disposal Methods: SPRAY INTO A FURNACE UNDER APPROVED CONTROLLED CONDITIONS. INCINERATION WILL BECOME EASIER BY MIXING WITH A MORE FLAMMABLE SOLVENT.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particu

lar situation.