View NSN Online: https://aerobasegroup.com/nsn/9150-00-949-0323

CASTROL INDUSTRIAL NORTH AMERICA INC. -- BRACO 650 -- 9150-00-949-0323

Product ID:BRACO 650 MSDS Date:11/22/1988 FSC:9150 NIIN:00-949-0323 **MSDS Number: BFYTY** === Responsible Party === Company Name: CASTROL INDUSTRIAL NORTH AMERICA INC. Address:1001 WEST 31ST STREET **City:DOWNERS GROVE** State:IL ZIP:60515-1280 Country:US Info Phone Num:800-621-2661 **Emergency Phone N** um:800-621-2661/800-424-9300(CHEMTREC) Preparer's Name:KAREL WRIGHT CAGE:CASTI === Contractor Identification === Company Name: CASTROL INDUSTRIAL INC Address:1001 W 31ST **City:DOWNERS GROVE** State:IL ZIP:60515-1280 Country:US Phone:708-241-4000 CAGE:CASTI Company Name: CASTROL INDUSTRIAL NORTH AMERICA INC SPECIALTY PRODUCTS DIV Address:1001 WEST 31ST STREET Box:City:DOWNERS GROVE State:IL ZIP:60515-1280 Country:US Phone:800-621-2661/ FAX: 630-241-4140 CAGE:2R128

======= Composition/Infor

mation on Ingredients =========

Ingred Name:TETRAFLUOROETHYLENE TELOMER Fraction by Wt: 25.0%

Ingred Name:UNIDENTIFIED COMPONENTS

Ingred Name:ORGANIC BARIUM COMPOUND Fraction by Wt: 2.5% MAX OSHA PEL:0.5 MG BA/CUM ACGIH TLV:0.5 MG BA/CUM

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:PRODUCT IS IRRITATING TO EYES,SKIN,RE SPIRATORY TRACT. ALSO INHALATION OF DECOMPOSITION PRODUCTS MAY PRODUCE POLYMER FUME FEVER. Explanation of Carcinogenicity:MAY CONTAIN A CHEMICAL LISTED AS CARCINOGEN OR REPRODUCTIVE TOXIN UNDER CALIFORNIA PROPOSITION 65. Effects of Overexposure:EYE:IRRITATION,BURNING,TEARING. SKIN:PROLONGED

CONTACT PRODUCES DEFATTING, DRYING, DERMATITIS. INHALED: RESPIRATORY IRRITATION, PULMONARY EDEMA, AND FLU-LIKE SYMPTOMS OF POLYMER FUME FEVER.

Medical Cond Aggravated by Exposure:NONE REPORTED.

First Aid:EYE:FLUSH WITH WATER 15 MIN. SKIN:REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP & WATER. INHALED:REMOVE FROM EXPOSURE. GIVE OXYGEN IF NECESSARY. POLYMER FUME FEVER SHOULD SUBSIDE IN 24 HRS. INGESTED:DO NOT INDUCE VOMITING(ASPIRATION HAZARD).GET IMMEDIATE MEDICAL ATTENTION.

Flash Point Method:COC Flash Point:500F/260C Extinguishin

| g Media:DRY CHEMICAL,CO*2,FOAM, WATER FOG<br>Fire Fighting Procedures:USE WATER TO COOL CONTNRS.USE SCBA IN FIRES<br>AND CONFINED ARE<br>Unusual Fire/Explosion Hazard:DECOMPOSITION AT FLAME TEMPERATURES<br>LIBERATES POTENTIALLY HARMFUL COMPOUNDS. |
|--|
| ======================================   |
| Spill Release Procedures:ABSORB ON INERT MATERIAL. STORE IN ENCLOSED<br>CONTAINERS PENDING DISPOSAL.<br>Neutralizing Agent:NONE  |
| ======================================   |
| Handling and Storage Precautions:STORE IN COOL, DRY WELL VENTILATED<br>AREA. AVOID,HEAT,OPEN FLAMES.KEEP CONTAINER CLOSED WHEN NOT IN USE  |
| ======================================   |
| Respiratory Protection: USE NIOSH APPROVED RESPIRATOR FOR ORGANIC<br>VAPORS/OIL MIST   |
| VAPORS/OIL MIST<br>Ventilation:NOT NORMALLY REQUIRED. USE LOCAL EXHAUST IF TEMPERATURES<br>EXCEED 572F/300C TO REMOVE TOXIC DECOMPOSITION PRODUCTS.<br>Protective Gloves:RUBBER  |
| Eye Protection:SAFETY/CHEM GOGGLES<br>Other P  |
| rotective Equipment:OTHER IMPERVIOUS GARMENTS IF DICTATED BY<br>TASK AT HAND.  |
| Work Hygienic Practices: USE NORMAL INDUSTRIAL HYGIENE PRACTICE. LAUNDER<br>CONTAMINATED CLOTHING BEFORE REUSE.  |
| Supplemental Safety and Health<br>NOTE FROM MSDS:THIS PRODUCT MAY CONTAIN A CHEMICAL THAT HAS BEEN LISTED<br>UNDER CALIFORNIA'S PROPOSITION 65 AS A REPRODUCTIVE TOXIN OR<br>CARCINOGEN.   |
| ======================================   |

HCC:V6 Boiling Pt:B.P. Text:>600/316C Decomp Temp:Deco

## mp Text:572F/300C Spec Gravity:1.23 Solubility in Water:INSOLUBLE Appearance and Odor:CREAM TO TAN SEMI-FLUID COMPOUND,MILD ODOR.

Stability Indicator/Materials to Avoid:YES REACTIVE METALS,STRONG OXIDIZERS. Stability Condition to Avoid:OPEN FLAME. Hazardous Decomposition Products:NORMAL PRODUCTS OF HYDROCARBON COMBUSTION. PLUS ABOVE 300C HYDROGEN FLUORIDE AND ETHER FLUORIDES.

====== Disposal Considerations

Waste Disposal Methods:DISPOSE I/A/W FEDERAL,STATE,LOCAL REGULATIONS. DO NOT BURN MATERIAL CONTAMINATED WITH THIS PRODUCT.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this docum

ent should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.