View NSN Online: https://aerobasegroup.com/nsn/8030-00-964-1892

CHEM SEAL CORPORATION OF AMERICA -- CS 3204,CLASS B-1/2,MIL-S-8802D, PART A -- 8030-00-964-1892

Product ID:CS 3204,CLASS B-1/2,MIL-S-8802D, PART A MSDS Date:01/01/1985 FSC:8030 NIIN:00-964-1892 MSDS Number: BFZLQ === Responsible Party === Company Name:CHEM SEAL CORPORATION OF AMERICA Emergency Phone Num:(213) 982-1655 CAGE:JO800 === Contractor Identification ===

Company Name:CHEM SEAL CORPORATION OF AMERICA Address:11120 SHERMAN WAY Box:City:SUN VALLEY State:CA ZIP:91352-4949 Country:US CAGE:JO800 Company Name:FLAMEMASTER CORPORATION Address:11120 SHERMAN WAY Box:City:SUN VALLEY State:CA ZIP:91352-4949 Country:US Phone:818-982-1650 CAGE:13422

Ingred Name:TOLUENE (SARA III) CAS:108-88-3 RTECS #:XS5250000 Fraction by Wt: 4%. OSHA PEL:200 PPM/150 STEL ACGIH TLV:50 PPM; 9293 EPA Rpt Qt y:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:LP-32 LIQUID POLYSULFIDE POLYMER (MFR-THIOKOL CORPORATION, CHEM DIVISION
======================================
Effects of Overexposure: AVOID EYE CONTACT OR PROLONGED SKIN CONTACT.
======================================
First Aid:EYE:IMMEDIATELY FLUSH W/WATER FOR 15 MINUTES. CALL MD IF NECESSARY. SKIN:WASH THOROUGHLY W/MILD SOAP & WATER.
======================================
Flash Point:210F CC Lower Limits:7. Upper Limits:90. Extinguishing Media:STANDARD MEDIA, CO*2, ETC. Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE
======================================
Spill Release Procedures: MFG SUGGESTS NO PRECAUTIONS NECESSARY; SOLVENT WIPE-TAKING PRECAUTIONS AGAINST FIRE AND INHALATION HAZARDS.
======================================
Handling and Storage Precautio ns:AVOID PROLONGED CONTACT
======================================
Ventilation:MECHANICAL-YES Protective Gloves:RECOMMENDED Eye Protection:SAFETY GOGGLES REC. Other Protective Equipment:NONE Supplemental Safety and Health PART A OF A TWO PRODUCT. MIX RATIO BY WEIGHT IS 100:10 (A:B).KEY1:N1.
======================================
HCC:N1 NRC/State Lic Num:NA Boiling Pt:B.P. Text:450F Vapor Pres:2. Vapor Density:3.1 Spec Gravity:1.42 Eva

Eva

poration Rate & amp; Reference:0.02 Solubility in Water:NEGLIGIBLE Appearance and Odor:OFF WHITE PASTE, POLYSULFIDE ODOR Percent Volatiles by Volume:4.

Stability Indicator/Materials to Avoid:YES SULFURIC, NITRIC, & HYDROCHLORIC ACIDS. Hazardous Decomposition Products:NONE

Waste Disposal Methods:SANITARY LANDFILL IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REG ULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particu lar situation.