View NSN Online: https://aerobasegroup.com/nsn/8030-00-981-7006

LOCTITE CORP -- LOCTITE GRADE HV ANEROBIC ADHESIVE -- 8030-00-981-7006

Product ID:LOCTITE GRADE HV ANEROBIC ADHESIVE

MSDS Date:01/01/1985

FSC:8030

NIIN:00-981-7006

MSDS Number: BGBJT === Responsible Party === Company Name:LOCTITE CORP

Emergency Phone Num:203-278-1280X313

CAGE:7K128

=== Contractor Identification === Company Name:LOCTITE CORP

Address:705 N MT RD

С

ity:NEWINGTON

State:CT ZIP:06111 Country:US

Phone:312-689-6200

CAGE:7K128

Company Name: LOCTITE CORPORATION Address: 1001 TROUT BROOK CROSSING

Box:City:ROCKY HILL

State:CT

ZIP:06067-3910 Country:US

Phone:860-571-5100

CAGE:05972

======= Composition/Information on Ingredients ========

Ingred Name: DIMETHACRYLATE ESTERS

Fraction by Wt: 56%.

Ingred Name: ALIPHATIC ESTER PLASTICIZER

Fraction by Wt: 32%.

Ingred Name:RESIN Fraction by Wt: 5.3%

Ingred Name: TERTIARY ALIPHATIC AMINE (TRIBUTY

Ingred Name:CATALYST (ORGANIC HYDROPEROXIDE) Fraction by Wt: 4.1%
=========== Hazards Identification =============
Effects of Overexposure:MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE INDIVIDUALS.
======================================
First Aid:FOR SKIN & EYE CONTACT - FLUSH W/WATER. FOR INGESTION - INDUCE VOMITING.
======================================
Flash P oint:>200F CC Extinguishing Media:CO*2, FOAM, DRY CHEMICAL
========= Accidental Release Measures ===========
Spill Release Procedures:FLUSH W/SLVENTS, TAKING PRECAUTION FOR POSSIBLE VAPORS & FIRE HAZARD OF THE SOLVENT USED. MIL-SPEC RECOMMENDS WIPING OFF SPILL W/A CLOTH MOISTENED W/WATER OR TRICHLOROETHYLENE.
============ Handling and Storage ===============
Handling and Storage Precautions:STORE BELOW 110F TO RETAIN SELF LIFE. Other Precaution s:AVOID PROLONGED SKIN CONTACT.
====== Exposure Controls/Personal Protection ========
Protective Gloves:RECOMMENDED Eye Protection:RECOMMENDED Supplemental Safety and Health VAP PRESS: 300F Spec Gravity:1.035 Appearance and Odor:BROWN/MILD ODOR
======================================
Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:TYPICAL FOR ORGANIC ESTER
========= Disposal Considerations ============

L AMINE) Fraction by Wt: 2.6% Waste Disposal Methods:DISPOSE IN ACCORDANCE W/FED, STATE & LOCAL CODES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume re

sponsibility for the suitability of this information to their particular situation.