View NSN Online: https://aerobasegroup.com/nsn/9150-00-985-7293 DAUBERT CHEMICAL COMPANY -- VCI #105 OIL -- 9150-00-985-7293 Product ID:VCI #105 OIL MSDS Date:01/01/1987 FSC:9150 NIIN:00-985-7293 MSDS Number: BGBWT === Responsible Party === Company Name: DAUBERT CHEMICAL COMPANY Emergency Phone Num:(312) 582-1000 CAGE:02847 === Contractor Identification === Company Name: DAUBERT CHEMICAL CO Address:1200 JORIE BLVD City:OAK BRO OK State:IL ZIP:60521-2210 Country:US CAGE:02847 ====== Composition/Information on Ingredients ======== Ingred Name: MINERAL OIL (EXPOSURE REGULATED AS 'OIL MIST') CAS:8012-95-1 RTECS #:PY8030000 Fraction by Wt: 90.0% OSHA PEL:5 MG/M3 ACGIH TLV:5 MG/M3/10 STEL;9192 Ingred Name: AMINE CARBOXYLATES

Fraction by Wt: 10.0%

========= Hazards Identification =============

Effects of Overexposure:IRRITATION OF MUCOUS MEMBRANES & EYES WITH POSSIBLE SKIN IRRITATIO

N
======================================
First Aid:REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NEED. SKIN:WASH WITH SOAP & WATER. EYES:FLUSH WITH WATER 15 MIN. KEEP WARM AND QUIET!
======================================
Flash Point:240F/115.5C(COC) Extinguishing Media:CO*2, FOAM, DRY CHEM. Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H*20 SPRAY TO COOL CONTR. Unusual Fire/Explosion Hazard:MAY IGNITE BY HEAT,SPARK,FLAME,AIR EXPOSURE;MAY REIGNITE,CONTACT W H*20 PRODUCES FLAMM GAS.
========== Accidental Release Measures ============
Spill Release Procedures:ELIMINATE IGNITION SOURCES. STOP LEAK.  EVACUATE AREA.DO NOT TOUCH SPILLAGE. SM SPILL:ABSORB W. INERT  ABSORBENT. PLACE IN CLOSED CONTAINER. FLUSH AREA W. WATER. LG  SPILL: DIKE AHEAD FOR LATER DISPOSAL. NOTIFY AUTHORITIES.  ===================================
Handling and Storage Precauti ons:STORE IN COOL,DRY,WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP CONTAINERS TIGHTLY CLOSED Other Precautions:NONE KNOWN
====== Exposure Controls/Personal Protection ========

Respiratory Protection: NONE SHOULD BE NEEDED (ADEQUATE VENTILATION)

Ventilation: MECHANICAL (GENERAL/LOCAL EXHAUST)

Protective Gloves: AS REQUIRED Eye Protection: SAFETY GLASSES Supplemental Safety and Health

MSDS UNDATED; SPEC REFERENCE: MIL-P-46002A/MR/,GRADE I M

ATL.
========= Physical/Chemical Properties ==========
HCC:V6 Spec Gravity:0.893 Solubility in Water:SLIGHT Appearance and Odor:LIGHT AMBER LIQ-SLIGHTLY IRRITATING ODOR Percent Volatiles by Volume:5.0
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid:HEAT, IGNITION SOURCES Hazardous Decomposition Products:NONE NOTED,BUT EXPECT CO, CO*2, H*2O.
===== Disposal Considerations =============
Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE &

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.