View NSN Online: https://aerobasegroup.com/nsn/9150-00-993-6621

TEXACO,INC -- 01658 RANDO OIL HD 46 -- 9150-00-993-6621

============= Product Identification ==============

Product ID:01658 RANDO OIL HD 46

MSDS Date:03/14/1986

FSC:9150

NIIN:00-993-6621

MSDS Number: BGCFW === Responsible Party === Company Name:TEXACO,INC

Address:2000 WESTCHESTER AVENUE

City:WHITE PLAINS

State:NY ZIP:10650

Info Phone Num:(914)831-3400 (EXT. 204)

Emergency Phone Num:(914)831-3400 (EXT. 204)

CAGE: KO140

=== Contractor Identification ===

Company Name: TEXACO INC CORPORATE HQ

Address:2000 WESTCHESTER AVE

City:WHITE PLAINS

State:NY ZIP:10604 Country:US

Phone:914-253-4000

CAGE:59595

Company Name: TEXACO, INC

Box:509

City:BEACON

State:NY ZIP:12508 Country:US

Phone:914-831-3400,EXT 204

CAGE:KO140

======= Composition/Information on Ingredients ========

Ingred Name: SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES

CAS:64742-65-0

Fraction by Wt: 95-99.9% Other REC Limits:N/K

OSHA

PEL:N/K ACGIH TLV:N/K

============= Hazards Identification ========================

LD50 LC50 Mixture:N/K

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:EYES-BELIEVED TO BE MINIMALLY IRRITATING. SKIN:BELIEVED TO BE SLIGHTLY IRRITATING W/POSS REDNESS,EDEMA,/DRYING OF SKIN. RESPIRATORY SYSTEM:BELIEVED TO BE MINIMALLY IRRITATING IF NOT IN EXCESS OF PERMISSIBLE CONCENTRATIONS. CHRONIC:N/DETERMINED.

Explanation of Carcinogenic

ity:NOT APPLICABLE

Effects of Overexposure:SEE HEALTH HAZARD DATA.

Medical Cond Aggravated by Exposure: N/K

First Aid:EYE:IMME FLUSH W/LGE AMTS OF WTR FOR AT LEAST 15 MIN. SKIN:WASH EXPOSED AREAS W/SOAP & WTR. INHALATION:REMOVE FROM EXPOSURE. SUPPORT BREATHING (GIVE O*2/ARTIFICIAL RESPIRATION). INGESTION: CALL MD IMMEDIATELY.

============ Fire Fighting Measures ==============

Flash Point:400 F/204C (COC)

Lower Limits:N/DETERMINED

Upper Limits:N/DETERMINED

Extinguishing Media:WATER SPRAY,DRY CHEMICAL,ALCOHOL FOAM,CARBON DIOXIDE.

Fire Fighting Procedures:WTR/FOAM MAY CAUSE FROTHING.USE WTR TO COOL FIRE-EXPOSED CNTNR.IF LEAK/SPLL HAS NOT IGN,USE WTR SPRY TO DISPERSE VAPR & TO PROV PROT FOR PERSN ATTEM TO STP LEAK Unusual Fire/Explosion Hazard:NONE

========= Accidental Release Measures ===============

Spill Release Procedures: CONTAIN SPILL IF POSSIBLE. WIPE U

Neutralizing Agent:N/K
============ Handling and Storage ============
Handling and Storage Precautions:MINIMUM FEASIBLE HANDLING TEMPERATURES SHOULD BE MAINTAINED.PERIODS OF EXPOSURE TO HIGH TEMP SHOULD BE MINIMIZED.WTR CONTAM SHOULD BE AVOIDED. Other Precautions:NONE CONSIDERED NECESSARY.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROP RIATE FOR EXPOSURE OF CONCERN. Ventilation:ADEQUATE TO MEET PERMISSIBLE CONCENTRATIONS. Protective Gloves:N/K. Eye Protection:GOGGLES/FACE SHIELD Other Protective Equipment:N/K. Work Hygienic Practices:N/K Supplemental Safety and Health RTE OF ENT:
========= Physical/Chemical Properties ==========
HCC:V6 Boiling Pt:B.P. Text:N/DETERMIND Melt/Freeze Pt:M.P/F.P Text:N/K Decomp Temp:Decomp Text:N/K Vapor Pres:N/DETERMIN Vapor Density:N/DETERMIN Spec Gravity:0.8735 pH: N/APPL Evaporation Rate & amp; Reference:N/DETERMINED Solubility in Water:N/DETERMINED Appearance and Odor:PALE,CLEAR LIQUID Percent Volatiles by Volume:N/DETE Corrosion Rate:
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS. Stability Condition to Avoid:N/K Hazardous Decomposition Products:N/K
======= Disposal Considerations ==========
Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH LO

P/ABSORB ON

SUITABLE MATERIAL & SHOVEL UP.

CAL, STATE AND FEDERAL LAWS & REGULATIONS GOVERNING DISPOSAL OF OILY WASTES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume re sponsibility for the suitability of this information to their particular situation.