

SUN REFINING & MKTNG CO /DIST-PHIPPS PRODUCTS CORP -- SR LUBE 200 D-WR --
9150-00-993-6621

===== Product Identification =====

Product ID:SR LUBE 200 D-WR

MSDS Date:01/01/1987

FSC:9150

NIIN:00-993-6621

MSDS Number: BGCFX

=== Responsible Party ===

Company Name:SUN REFINING & MKTNG CO /DIST-PHIPPS PRODUCTS CORP

Emergency Phone Num:215-447-1852

CAGE:1K762

=== Contractor Identification ===

Company Nam

e:SUN REFINING & MARKETING CO

Address:1801 MARKET ST

City:PHILADELPHIA

State:PA

ZIP:19103

Country:US

CAGE:1K762

Company Name:SUN REFINING AND MARKETING COMPANY

Address:1801 MARKET ST,TEN PENN CTR

Box:City:PHILADELPHIA

State:PA

ZIP:19103-1699

Country:US

Phone:215-977-6133

CAGE:8X531

===== Composition/Information on Ingredients =====

Ingred Name:SOLVENT REFINED HEAVY PARAFFINIC DISTILLATE OIL CAS NO
64741884

Fraction by Wt: UNK

ACGIH TLV:UNK

Ingred Name:ZINC DITHIO PHOSPHA

TE
Fraction by Wt: UNK
ACGIH TLV:UNK

Ingred Name:BARIUM SULFONATE
CAS:25619-56-1
RTECS #:CR0700000
Fraction by Wt: UNK
OSHA PEL:0.5 MG/M3 (BA)
ACGIH TLV:0.5 MG/M3 (BA); 8990

Ingred Name:METHACRYLATE COPOLYMER
Fraction by Wt: UNK
ACGIH TLV:UNK

=====
Hazards Identification
=====

Effects of Overexposure:MILD EYE IRRITATION. PRACTICALLY NON-TOXIC

=====
First Aid Measures
=====

First Aid:EYE-FLUSH W/WATER;SKIN-WASH W/SOAP &
WATER. WASH CLOTHING
BEFORE RE-USE. INGEST-GIVE LIQUIDS & INDUCE VOMIT,CALL PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point:380F/1930/COC
Autoignition Temp:Autoignition Temp Text:700F
Extinguishing Media:WATER FOG,CHEMICAL FOAM,DRY CHEM,CARBON DIOXIDE
Fire Fighting Procedures:USE SELF-CONT BREATH APPARATUS IN CONFINED
SPACES

=====
Accidental Release Measures
=====

Spill Release Procedures:CLEAN UP USING AN OIL A
BSORBENT. NO UNUSUAL
HAZARD

=====
Handling and Storage
=====

Handling and Storage Precautions:STORAGE PER NFPA CLASS III B LIQUID.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:ADEQUATE TO KEEP EXPOS WITHIN EXPOS LIMIT-NORM
NO SPECIAL REQD
Ventilation:AS NEEDED TO MAINTAIN COMPLIANCE WITH WORKPLACE EXPOS
LIMITS
Protective Gloves:IMPERVIOUS
Eye Protection:LOCAL DECISION
Other Protective Equipment:IF CO

NTACT UNAVOID,APPROPIATE OIL IMPERVIOUS
CLOTHING

Supplemental Safety and Health
SUN REFINING CODE 142204

===== Physical/Chemical Properties =====

HCC:V6
Boiling Pt:B.P. Text:HUGH
Vapor Pres:NIL
Vapor Density:15
Evaporation Rate & Reference:1000X SLOW(ETLET=1
Solubility in Water:NIL
Appearance and Odor:FLIGHT AMBER FLUID,LITTLE ODOR
Percent Volatiles by Volume:NIL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS
Hazardous Decomposition Products:CARBON MONOXIDE & ASPHYXIANTS

===== Disposal Considerations =====

Waste Disposal Methods:FOLLOW FED,STATE & LOCAL LAWS

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.