

MOBIL OIL CORP ENVIRONMENTAL AFFAIRS & TOXICOLOGY -- MOBIL DTE OIL MEDIUM --
9150-00-993-8588

===== Product Identification =====

Product ID:MOBIL DTE OIL MEDIUM

MSDS Date:12/08/1989

FSC:9150

NIIN:00-993-8588

MSDS Number: BGCGD

=== Responsible Party ===

Company Name:MOBIL OIL CORP ENVIRONMENTAL AFFAIRS & TOXICOLOGY

Address:PENNINGTON-ROCKY HILL RD

City:PENNINGTON

State:NJ

ZIP:08534

Country:US

Info

Phone Num:800-662-4525 OR 703-849-3265

Emergency Phone Num:609-737-4411

CAGE:0AHK0

=== Contractor Identification ===

Company Name:MAZZONI BROTHERS CHEMICAL INC

Address:SOUTH RAILROAD BLVD.

Box:297

City:MINOTOLA

State:NJ

ZIP:08341

Country:US

Phone:(SANLO PRODUCTS) 201-348-1684

CAGE:77506

Company Name:MOBIL OIL CORP ENVIRONMENTAL AFFAIRS & TOXICOLOGY

Address:PENNINGTON-ROCKY HILL RD

Box:City:PENNINGTON

State:NJ

ZIP:08534

Country:US

CAGE:0AHK0

===== Composition/Information on Ingredients

=====
Inged Name:REFINED MINERAL OIL
Fraction by Wt: >95.0%
OSHA PEL:5 MG/M3 AS OIL MIST
ACGIH TLV:5 MG/M3 AS OIL MIST

Inged Name:ADDITIVES & OTHER INGREDIENTS
Fraction by Wt: 15G/KG
Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE:ORAL RAT NON TOXIC;DERMAL
TOXICITY:NON TOXIC;INHALATION: RATS,NO EFFECTS KNOWN;EYES
RABBITS:NON-IRRITATING. CHRONIC:MAY CAUSE SLIGHT IRRITATION ON

PROLONGED OR REPEATED SKIN CONTACT.
Explanation of Carcinogenicity:DATA PER MSDS
Effects of Overexposure:MAY IRRITATE EYES,SKIN AND RESPIRATORY
TRACT.PROLONGED EXPOSURE MAY CAUSE DERMATITIS.
Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF AILMENTS
OR WITH A PRE-EXISTING DISEASE INVOLVING THE EYES, SKIN, OR
RESPIRATORY TRACT MAY BE AT INCREASED RISK FROM EXPOSURE.

=====
First Aid Measures

First Aid:INHALATION:REMOVE TO FRESH AIR. RESUSCITATE IF NOT BREATHING.
GET MEDICAL ATTENTION. EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ADVICE. INGESTION:DO NOT INDUCE VOMITING. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET IMMEDIATE MEDICAL ATTENTION.

=====
Fire Fighting Measures

Flash Point Method:COC
Flash Point:414F,212C
Lower Limits:0.6
Upper Limits:7.0
Extinguishing Media:USE CARBON DIOXIDE, FOAM, DRY CHEMICAL, OR WATER FOG.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.
Unusual Fire/Explosion Hazard:NONE SPECIFIED;FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

=====
Accidental Release Measures

es =====

Spill Release Procedures: ABSORB ON FIRE RETARDANT TREATED SAW DUST, DIATOMACEOUS EART, ETC. SHOVEL UP INTO CONTAINER FOR DISPOSAL OR FOR RECYCLING PROCESS.

Neutralizing Agent: NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions: STORE IN A COOL, DRY, WELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT CONTAINERS FROM PHYSICAL DAMAGE. KEEP FROM FREEZING

Other Precautions

: DO NOT BREATHE MIST. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR. AVOID CONTACT WITH EYES. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: NONE REQUIRED IN CASE OF GOOD VENTILATION. USE NIOSH/MSHA APPROVED RESPIRATOR AS REQUIRED IF ABOVE PEL/TLV.

Ventilation: NORMAL ROOM VENTILATION OR LOCAL/GENERAL TO MAINTAIN PEL/TLV.

Protective Gloves: NEOPRENE, NITRILE, OR NATURAL RUBBER

Eye Protection: SAFETY GOGGLES WITH OPTIONAL FACE SHIELD

Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER, WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

AVOID PROLONGED OR REPEATED EXPOSURE. DO NOT GET ON SKIN OR IN EYES. DO NOT BREATHE VAPORS OR MISTS.

===== Physical/Chemical Properties =====

HCC: V6

Boiling Pt: B.P. Text: >600F, 316C

Vapor Pres: