View NSN Online: https://aerobasegroup.com/nsn/6750-00-995-7494

PHILIP A. HUNT CHEMICAL CORP. -- 811000,CINE-4 REVERSAL REDEVELOPER,PART A

6750-00-995-7494

Product ID:811000, CINE-4 REVERSAL REDEVELOPER, PART A

MSDS Date:01/01/1985

FSC:6750

NIIN:00-995-7494

Kit Part:Y

MSDS Number: BGCJD === Responsible Party ===

Company Name: PHILIP A. HUNT CHEMICAL CORP.

City:PALISADES PARK

State:NJ ZIP:07650

Info Phone Num:201-944-4000

Eme

rgency Phone Num:201-944-4000

CAGE:DO532

=== Contractor Identification ===

Company Name: FUJI HUNT PHOTOGRAPHIC CHEMICALS INC

Address:W 115 CENTURY RD

Box:988

City:PARAMUS

State:NJ

ZIP:07653-0988

Country:US

Phone:201-967-9603

CAGE:73877

Company Name: PHILIP A. HUNT CHEM CORP

Box:988

City:PALISADES PARK

State:NJ ZIP:07650

Phone:800-OLIN-911

CAGE:DO532

====== Composition/Information on Ingredients ========

Ingred Name: POTASSIUM HYDROXIDE (SARA III)

CAS:1310-58-3

RTECS #:TT2100000

Fr

DOT Rpt Qty:1000 LBS Effects of Overexposure: MAY IRRIT. SKIN ON PROLONGED OR REPEATED CONTACT, IRRIT, EYES First Aid:SKIN-RIBNSE WELL, WASH WITH MILD SOAP & WATER. EYES FLUSH WITH CLEAN, COLD WATER REPEATEDLY FOR AT LEAST 15 MIN. SEEK MEDICAL ATTEN. ======== ======= Fire Fighting Measures ============== Fire Fighting Procedures: USE WATER SPRAY TO COOL FIRE-EXPOSED **CONTIANERS** Unusual Fire/Explosion Hazard:NONE ======== Accidental Release Measures ============ Spill Release Procedures: CONTAIN SPILLS. COLLECT IN CONTAINER FOR DISPOSAL. ============ Handling and Storage =========================== Handling and Storage Precautions: STORE IN COOL DRY AREA Other Precautions: KEEP CONTAINERS WELL MARKED & TIGHT LY CLOSED. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: NOT NORMALLY NEEDED Ventilation: GENERAL MECHANICAL RECOMMEDED Protective Gloves:RECOMMENDED Eye Protection: RECOMMENDED Supplemental Safety and Health KEY1: B1. PART A OF 2 PART KIT. ======== Physical/Chemical Properties =========== HCC:F5 Boiling Pt:=100.C, 212.F Vapor Pres:15 Spec Gravity: 1.246 Evaporation Rate & Dr. Reference:1, WATER Solubility in Water: COMPLETE **Appearan** 

action by Wt: 12%

OSHA PEL:C, 2 MG/M3

EPA Rpt Qty:1000 LBS

ACGIH TLV:C 2 MG/M3; 9192

ce and Odor:SLIGHTLY YELLOW AQU	EOUS SOLUTION, ODORLESS
Percent Volatiles by Volume:60	

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES STRONG ACIDS, OXIDIZING AGENTS Stability Condition to Avoid:EXCESSIVE HEAT Hazardous Decomposition Products:NONE

======= Disposal Considerations ===========

Waste Disposal Methods:SMALL AMTS. MAY BE FLUSHED TO DRAIN, FOR LARGE AMTS. CONSULT LOCAL REGULATIONS REGARDING PR OPER DISPOSAL METHODS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.