View NSN Online: https://aerobasegroup.com/nsn/6750-01-004-6632

OLIN HUNT SPECIALTY PRODUCTS DIV OLIN CORPORATION -- ULTRA 2 DVLPR-REPLNSHR,PART B (NEW FORMULA) -- 6750-01-004-6632

Product ID:ULTRA 2 DVLPR-REPLNSHR, PART B (NEW FORMULA)

MSDS Date:06/11/1987

FSC:6750

NIIN:01-004-6632

MSDS Number: BGCRX === Responsible Party ===

Company Name: OLIN HUNT SPECIALTY PRODUCTS DIV OLIN CORPORATION

Address: 5 GARRET MOUNTAIN PLAZA

City:

WEST PATERSON

State:NJ ZIP:07424 Country:US

Info Phone Num:203-789-5436

Emergency Phone Num:1-800-654-6911

CAGE:OLINH

=== Contractor Identification ===

Company Name: FUJI HUNT PHOTOGRAPHIC CHEMICALS INC

Address:W 115 CENTURY RD

Box:988

City:PARAMUS

State:NJ

ZIP:07653-0988 Country:US

Phone:201-967-9603

CAGE:73877

Company Name: OLIN HUNT SPECIALTY PRODUCTS INC.

Address: 5 GARRET MOUNTAIN PLAZA

City:WEST PATERSON

State:NJ ZIP:07424 Country:US

Phone:203-789-5436

CAGE:OLINH

====== Composition/I

nformation on Ingredients =======

Ingred Name:SODIUM FORMALDEHYDE BISULFITE, WT% RANGE 25-30%. LD50 (LOW)

3200 MG/KG CAS:870-72-4

RTECS #:PB2200000 Fraction by Wt: 27.5%

Ingred Name: HYDROQUINONE (SARA III)

CAS:123-31-9

RTECS #:MX3500000 Fraction by Wt: 12.5% OSHA PEL:2 MG/M3

ACGIH TLV:2 MG/M3; 9192

EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name:2-METHOXYETHANOL (EGME) (SARA III)

CAS:109-86-4

RTECS #:KL5775000 Fraction by Wt: 3% OSHA PEL:S, 25 PPM ACGIH TLV:S, 5 PPM; 9192

Ingred N

ame:SODIUM SULFITE, WT% RANGE 1-5%. LD50 (LOW) 2825 MG/KG

CAS:7757-83-7

RTECS #:WE2150000 Fraction by Wt: 3%

Ingred Name:BORIC ACID, WT% RANGE 1-5%. LD50 2660 MG/KG (ORAL RAT)

CAS:10043-35-3 RTECS #:ED4550000 Fraction by Wt: 3%

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MAY CAUSE EYE-SKIN BURNS & IRRITATION,

ANEMIA, DERMAT

ITIS, BIRTH DEFECTS. MAY AFFECT REPRODUCTIVE SYSTEM, CNS & BLOOD. Effects of Overexposure: EYE: BURNS, MODERATE TO SEVERE IRRITATION. SKIN: IRRITATION, DERMATITIS. INHALATION: IRRITATION OF MUCOUS MEMBRANES, UPPER RESPIRATORY TRACT. INGESTION: GI TRACT IRRITATION, NAUSEA, VOMITING, DIARRHEA. MATERIAL IS FETOTOXIC AND TERATOGENIC. Medical Cond Aggravated by Exposure: ANY PREEXISTING ALLERGY, SENSITIVITY OR ORGAN DYSFUNCTION. ======== First Aid Measures ====== First Aid:EYE: FLUSH 15 MINUTES W/AMPLE WATER. SKIN:WASH SOAP & WATER. INHALATION: REMOVE TO FRESH AIR, GIVE OXYGEN OR ARTIFICIAL RESPIRATION AS REQUIRED. INGESTION: IF CONSCIOUS, GIVE AMPLE WATER AND INDUCE VOM ITING. NOTHING BY MOUTH IF UNCONSCIOUS.CALL A PHYSICIAN IMMEDIATELY ALL CASES. Flash Point:NONE Extinguishing Media: WATER SPRAY, DRY CHEMICAL, ALCOHOL FOAM, CARBON DIOXIDE. Fire Fi ghting Procedures: COOL EXPOSED CONTAINERS W/WATER SPRAY. USE SCBA RESPIRATOR POSITIVE PRESSURE MODE. ======== Accidental Release Measures ============ Spill Release Procedures: USE SCBA RESPIRATOR PP MODE. WEAR ALL PRESCRIBED PROTECTIVE GEAR. STOP LEAK, CONFINE SPILL, COLLECT SPILLAGE WITH ABSORBENT, PLACE IN CLOSABLE CONTAINER. WASH DOWN SPILL AREA WITH DETERGENT SOLUTION TO DRAIN. ============= Handling and Storage ========================== Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATION AREA, AVOID CONTACT W/OXIDIZING AGENTS, AVOID EYE-SKIN CONTACT, DO NOT INHALE OR INGEST.

===== Exposure Controls/Personal Protection ========

Respiratory Protection: USE SCBA RESPIRATOR PP MODE FOR FIREFIGHTING OR SPILL CLEANUP.

Ventilation:LOCAL EXHAUST.

Protective Gloves: IMPERVIOUS.

Eye Protection: GOGGLES, FACE SHIELD.

Other Protective Equipment: IMPERVIOUS COVERALLS, APRON.

Work Hygienic Practices: AVOID EY

E-SKIN CONTACT. DO NOT INHALE OR INGEST. WASH THOROUGHLY AFTER USE. LAUNDER WORK CLOTHING BEFORE REUSE.

Supplemental Safety and Health

OLIN-HUNT PRODUCT CAT# IS 812420. PACKAGE MAKES 30 GL OF MIX. THIS PNI C IS NEW FORMULA PART B OF TWO-PART KIT AND IS TO BE USED W/PART A. OLD FORMULA PART B (PNI B) NOT MANUFACTURED AFTER JUN87.

========= Physical/Chemical Properties ===========

HCC:N1

Boiling Pt:B.P. Text:212F/100C

Vapor Pres:15 Spec Gravity:1.29

pH:6.7 Evapo

ration Rate & Damp; Reference:1 (WATER=1)

Solubility in Water: COMPLETE

Appearance and Odor: COLORLESS LIQUID, FAINT FORMALDEHYDE ODOR.

Percent Volatiles by Volume:45

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES STRONG ACIDS, ALKALAIS, OXIDIZERS. Stability Condition to Avoid:EXCESS HEAT.

Hazardous Decomposition Products:STRONG HEATING WILL RELEASE FORMALDEHYDE AND SULFUR DIOXIDE VAPORS.

====== Disposal Considerat ions =========

Waste Disposal Methods: LANDFILL IAW ALL LAWS & REGS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume r

esponsibility for the suitability of this information to their particular situation.		