

AEROSPACE LUBRICANTS,INC. -- TRIBOLUBE -- 9150-01-008-6197

=====  
Product Identification  
=====

Product ID:TRIBOLUBE

MSDS Date:02/14/1986

FSC:9150

NIIN:01-008-6197

MSDS Number: BGCYR

=== Responsible Party ===

Company Name:AEROSPACE LUBRICANTS,INC.

Address:1505-DELASHMUT AVE

City:COLUMBUS

State:OH

ZIP:43212-2641

Country:US

Info Phone Num:614-291-3045

Emergency Phone Num:614-291-3045

CAGE:66164

=== C

Contractor Identification ===

Company Name:AEROSPACE LUBRICANTS INC.

Address:1600 GEORGEVILLE RD

Box:City:COLUMBUS

State:OH

ZIP:43228

Country:US

Phone:614-878-3600

CAGE:66164

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PERFLUORINATED POLYETHER

Ingred Name:MOLYBDENUM DISULFIDE

CAS:1317-33-5

RTECS #:QA4697000

OSHA PEL:10 MG/M3 TDUST (MO)

ACGIH TLV:10 MG/M3 (MO); 8990

=====  
Hazards Identification  
=====

Routes of Entry: Inha

lution:UNKNOWN Skin:YES Ingestion:YES  
Health Hazards Acute and Chronic:NO DATA AVAILABLE;MAY IRRITATE EYES  
AND SKIN.  
Effects of Overexposure:NO DATA AVAILABLE:MAY IRRITATE EYES & SKIN.  
Medical Cond Aggravated by Exposure:NO DATA AVAILABLE.

=====  
===== First Aid Measures =====

First Aid:EYES:FLUSH WITH PLENTY OF WATER. SKIN:CLEAN AND WASH WITH  
SOAP & WATER. INGESTION:CONSULT A PHYSICIAN.

=====  
===== Fire Fighting Measures =====  
====

Flash Point:NONE  
Extinguishing Media:NONE NOTED:USE SUITABLE MEDIA FOR SURROUNDING FIRE.  
Fire Fighting Procedures:KEEP CONTAINER CLOSED AND KEEP COOL BY  
SPRAYING WATER WHEN EXPOSED TO FIRE.USE NIOSH/MSHA APPROVED SCBA IN  
AN ENCLOSED AREA.  
Unusual Fire/Explosion Hazard:THIS PRODUCT DOES NOT BURN,BUT WILL  
THERMALLY DECOMPOSE ABOVE 290C.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION.USE SUITABLE  
INE  
RT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY AND WELL VENTILATED  
AREA.KEEP AWAY FROM HEAT AND OPEN FLAME,EXPLOSIVE MATERIALS.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NEEDED IN CASE OF AN ADEQUATE VENTILATION.  
Ventilation:GENERAL TO MAINTAIN AN ADEQUATE VENTILATION.  
Protective Gloves:IMPERVIOUS.  
Eye Protect  
ion:SAFETY GLASSES.  
Other Protective Equipment:FULL SKIN AND EYES PROTECTION;EYE-WASH.  
Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN.WASH  
THOROUGHLY AFTER EACH USE.DO NOT SMOKE,EAT AND DRINK IN WORK AREA.  
Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

HCC:V6  
Vapor Pres:0.01  
Spec Gravity:1.9  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:WHITE,BUTTERY GREASE,NO ODOR

=====  
===== Stability and Reactivity Data =====

=====

Stability Indicator/Materials to Avoid: YES

MOLTEN ALKALI METALS, INTERHALOGEN COMPOUNDS, STRONG, NON-AQUOUS ALKALI AND LEWIS ACID ABOVE 100C.

Stability Condition to Avoid: AVOID HEATING ABOVE 250C.

Hazardous Decomposition Products: HF COF\*2, PERFLUOROCARBON OLEFINS.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.