View NSN Online: https://aerobasegroup.com/nsn/8030-01-013-0627

Product ID:208 WET PATCH PLASTIC ROOF CEMENT MSDS Date:06/01/1991 FSC:8030 NIIN:01-013-0627 MSDS Number: BGDHS === Responsible Party === Company Name:WW HENRY CO Address:2911 SLAVSON AVE **City:HUNTINGTON PARK** State:CA ZIP:90255 Country:US Info Phone Num:303-623-5716 Emergency Phone Num:213-538-5 000 **CAGE:**IO829 === Contractor Identification === Company Name: HENRY W W CO Box:3001 City:LANCASTER State:PA ZIP:17604 Country:US Phone:717-396-2328;717-396-2935 CAGE:11761 Company Name: WW HENRY CO Address:5608 SOTO ST Box:City:HUNTINGTON PARK State:CA ZIP:90255 Country:US Phone:213-583-4961 **CAGE:**IO829

Ingred Name:KEROSENE (PETROLEUM), HYDROTREATED; (PETROLEUM DISTILLATES) CAS:64742-47-8 RTECS #:OA5504000 Fraction by Wt: 15-20 % OSHA PEL:500 PPM (MFR) ACGIH TLV:500 PPM (MFR)

Ingred Name:ASBESTOS (FRIABLE) (SARA III): (ASBESTOS FIBERS) CAS:1332-21-4 RTECS #:CI6425000 Fraction by Wt: 8-12% OSHA PEL:0.2 FIBERS/CC ACGIH TLV:0.5 FIBERS/CC; A1;89 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name:VOLATILE ORGANIC COMPOUND: 300 G/L RTECS #:9999999VO

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Repor ts of Carcinogenicity:NTP:YES IARC:YES OSHA:YES Health Hazards Acute and Chronic:VAPORS ABOVE TLV MAY ASPHYXIATE. FRESH AIR USUALLY RESULTS IN COMPLETE RECOVERY IF NORMAL RESPIRATION HAS NOT STOPPED. Explanation of Carcinogenicity:ASBESTOS: IARC MONOGRAPHS, SUPPLEMENT, VOL 7, PG 106, 1987: GRP 1. NTP 7TH ANNUAL REPORT ON CARCINS, 1994: (SUPP DATA)

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:UNKNOWN.

======= First Aid Meas

First Aid:VAPOR: REMOVE VICTIM TO FRESH AIR. SKIN: WASH THOROUGHLY W/SOAP & WATER. REMOVE CONTAMINATED CLOTHING & WASH BEFORE REUSE. EYE: FLUSH W/WATER 15 MIN. CONTACT MD. INGEST: DO NOT INDUCE VOMITING. CALL M D.

Flash Point:120F,49C Lower Limits:1% Extinguishing Media:CO*2, DRY CHEMICAL, FOAM Fire Fighting Procedures:NONE. WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIP

MENT . Unusual Fire/Explosion Hazard:NONE

======================================
Spill Release Procedures:EXTINGUISH ALL SOURCES OF COMBUSTION IN THE AREA. CLEAN UP SPILLS IMMEDIATELY W/CLAY, DIATOMACEOUS EARTH OR OTHER NON-FLAMMABLE ABSORBENT MATERIAL. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:STORE AWAY FROM IGNITION SOURCES. AVOID HEAT. Oth
er Precautions:NONE SPECIFIED BY MANUFACTURER.
======================================
Respiratory Protection:NONE NORMALLY NEEDED. NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN . Ventilation:USE SUPPLIED AIR SYSTEM IF VAPOR CONCENTRATION EXCEEDS TLV. Protective Gloves:IMPERVIOUS GLOVES . Eye Protection:ANSI APPRVD CHEM WORKERS GOGGLES . Other Protective Equipment:NONE Work Hygienic Practices:CLEAN SKIN WITH SOAP AND WATER OR WATERLESS C
LEANER. FLUSH EYES WITH WATER. DO NOT USE SOLVENTS. Supplemental Safety and Health EXPLAN OF CARCIN: KNOWN TO BE CARCINOGENIC. OSHA: CODE OF FEDERAL REGS, VOL 29, PG 1910.1001, 1987: OSHA CANCER HAZARD. HUMAN: LUNG TUMORS. ASBESTOS FIBERS, A REPORTED CARCINOGEN IN THE RESPIRATORY TR ACT, ARE COMPLETELY ENCAPSULATED BY ASPHALT SO NO DUSTING OCCURS.
======================================

HCC:V4 Boiling Pt:B.P. Text:>310F,>154C Vapor Density:HVR/AIR Spec Gravity:1.2 Evaporation Rate & amp; Reference:SLOWER/ETHER Appearance and Odor:NONE SPECIFIED BY MANUFACTURER. Percent Volatiles by Volume:30

Stability Indicator/Materials to Avoid:YES MAY REACT W/STRONG OXIDIZING MATERIALS Stability Condition to Avoid:NONE Hazardous Decomposition Products:SMOKE AND OXIDES OF CARBON.

Waste Disposal Methods:DISPOSE OF IN ACCO RDANCE W/ALL LOCAL, STATE, FED REGULATIONS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.