

ALLIED CHEMICAL CORP. -- NITRIC AIC,RED FUMING -- 6810-01-016-5196

=====  
Product Identification  
=====

Product ID:NITRIC AIC,RED FUMING

MSDS Date:01/01/1985

FSC:6810

NIIN:01-016-5196

MSDS Number: BGDQW

=== Responsible Party ===

Company Name:ALLIED CHEMICAL CORP.

Address:COLUMBIA RD & PARK AVE

Box:1087R

City:MORRISTOWN

State:NJ

ZIP:07960

Country:US

CAGE:1L168

=== Contractor Identification ===

Compa

ny Name:ALLIED CHEMICAL COMPANY

Box:1087R

CAGE:1L168

Company Name:ALLIED-SIGNAL INC

Address:Box:2332R

City:MORRISTOWN

State:NJ

ZIP:07962-2332

Country:US

Phone:201-455-4414

CAGE:1L164

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NITRIC ACID (SARA III)

CAS:7697-37-2

RTECS #:QU5775000

Fraction by Wt: >90%

OSHA PEL:2 PPM/4 STEL

ACGIH TLV:2 PPM/4 STEL; 9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

=====  
Hazards Identification  
=====

=====

Effects of Overexposure:SEVER BURNS TO EYES, SKIN,INHAL OF VAPOR  
DAMAGES RESPIR TRACT. SYMPTOMS MAY BE DELAYED.

===== First Aid Measures =====

First Aid:SKIN:FLUSH W WATER.EYES:FLUSH W/WATER 15 MIN.GET IMMED  
MEDICAL ATTN.IF INHALED:REMOVE TO FRESH AIR,GET IMMEDIATE MEDICAL  
ATTENTION.

===== Fire Fighting Measures =====

Extinguishing Media:IF INVOLVED IN A FIRE,USE WATER SPRAY.

Fire Fighting Procedures:A

VOID INHAL OF GAS.USE SELF-CNTND BRTHG APP.

Unusual Fire/Explosion Hazard:WILL INCREAS FLAMABILITY OF  
WOOD,ORGANICS.CAUSES EXPLOS W H\*25,METAL  
POWDERS,CARBIDES,TURPENTINE.

===== Accidental Release Measures =====

Spill Release Procedures:FLUSH WITH PLENTY OF WATER AND NEUTRALIZE WITH  
ALKALINE MATL SUCH AS SODA ASH,LIME,ETC. PROVIDE ADEQUATE  
VENTILATION AS OXIDES OF NITROGEN AND CO\*2 ARE GENERATED DURING  
NEUTRALIZATION.

===== Hand  
ling and Storage =====

Handling and Storage Precautions:STORE IN WELL VENTILATED PROPERLY  
DRAINED SITE AWAY FROM HEAT,SUN.ISOLATE FROM  
METALS,ORGANICS,WOOD,PAPER PRODUCTS.

Other Precautions:NITRIC ACID VAPRO AND OXIDES ARE INSIDIOUS.SUMPTOMS  
FROM INHALATION MAY BE DELAYED.DO NOT BREATH FUMES.SEE MCA CHEMICAL  
SAFETY DATA SHEET SD-5,FROM MANUFACT CHEM ASSO. IN WASHINGTON D.C.

===== Exposure Controls/Personal Protection =====

Respiratory Protec

tion:USE SELF-CNTND OR CLEAN AIR SUPPLIED BREATHING  
APPARATUS

Ventilation:LOCAL EXHAUST SUFFICIENT TO ELIMINATE ALL FUMES

Protective Gloves:NEOPRENE

Eye Protection:CHEM SAFETY GOGGLES

Other Protective Equipment:NEOPREN APRON/SHOES,HARD HAT,NEOPRENE  
CLOTHNG,FACE SHIELD

Supplemental Safety and Health

BP:471-484C.

===== Physical/Chemical Properties =====

HCC:D2

Boiling Pt:B.P. Text:244-251F

Vapor Pres:3.0

Vapor Density:3.2

Spec Gravity:1.41

Evaporation Rate &am

p; Reference:ESSENTIALLY 1

Solubility in Water:COMPLETE

Appearance and Odor:COLORLESS TO LIGHT YELLOW WITH ACRID ODOR.

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

METALS,H\*2S,WOOD,EXCELSIOR,PAPER PRODUCTS,SIMILAR ORGANICS.

Hazardous Decomposition Products:POISONOUS OXIDES OF NITROGEN(GASEOUS)

===== Disposal Considerations =====

Waste Disposal Methods:DILUTE AND N

EUTRALIZE.IF PERMITTED BY

LOCAL,STATE AND FEDERAL REGULATIONS,FLUSH NEUTRAL RESIDUE TO SEWER  
WITH PLENTY OF WATER.CONTACT LOCAL AUTHORITIES FOR DISPOSAL  
COMPLIANCE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any p

erson utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.