

SPORLAN VALVE COMPANY -- AK-1 ACID TEST KIT, PART B: INDICATOR -- 6630-01-022-7406
===== Product Identification =====

Product ID:AK-1 ACID TEST KIT, PART B: INDICATOR

MSDS Date:05/28/1991

FSC:6630

NIIN:01-022-7406

Kit Part:Y

MSDS Number: BGFDG

=== Responsible Party ===

Company Name:SPORLAN VALVE COMPANY

Address:7525 SUSSEX AVE.

City:ST LOUIS

State:MO

ZIP:63143

Info Phone Num:314-647-2775

Emergenc

y Phone Num:314-647-2775

CAGE:78462

=== Contractor Identification ===

Company Name:SPORLAN VALVE COMPANY

Address:7525 SUSSEX AVE.

Box:City:ST LOUIS

State:MO

ZIP:63143

Phone:314-647-2775

CAGE:78462

===== Composition/Information on Ingredients =====

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000

Fraction by Wt: 62%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:100 PPM/150 STEL

ACGIH TLV:100 PPM/150STEL;9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 L

BS

Ingred Name:ETHYL ALCOHOL (ETHANOL)

CAS:64-17-5

RTECS #:KQ6300000

Fraction by Wt: 36%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9293

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 2%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:PHENOL RED

CAS:143-74-8

RTECS #:SJ7490000

Fraction by Wt: TRACE

Other REC Limits:NONE RECOMMENDED

=====

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:CAUSES EYE AND SKIN IRRITATION.

INGESTION AND INHALATION MAY CAUSE DROWZINESS/UNCONSCIOUSNESS.

Effects of Overexposure:IRRITATION, DROWSINESS, HEADACHE AND DIZZINESS
OR UNCONSCIOUSNESS.

Medical Cond Aggravated by Exposure:LIVER AND SKIN.

===== First Aid Measures =====

=====

First Aid:INHALATION:REMOVE TO FRESH AIR, PROVIDE CPR/OXYGEN IF NEEDED.

EYE CONTACT:FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL HELP. SKIN

CONTACT:WASH WITH SOAP AND WATER. GET MED ATTENTION IF SYMPTOMS

PERSIS T. INGESTION:DO NOT INDUCE VOMITING, DRINK 1-2 GLASSES OF

WATER. GET MEDICAL HELP IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:60F/15.6C

Lower Limits:2

Extinguishing Media:CO2,DRY CHE

MICAL OR FOAM.

Fire Fighting Procedures:NONE STATED.

Unusual Fire/Explosion Hazard:NONE STATED.

===== Accidental Release Measures =====

Spill Release Procedures:SMALL AMOUNTS MAY BE FLUSHED AWAY WITH WATER
OR COLLECTED FOR INCINERATION.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE SOLUTIONS ABOVE 120F.

Other Precautions:KEEP HEAT AND IGNITION SOURCES AWAY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USUALLY NONE.

Ventilation:NORMAL VENTILATION.

Protective Gloves:RUBBER

Eye Protection:CHEMICAL GOGGLES.

Other Protective Equipment:APRON

Work Hygienic Practices:DO NOT EAT, DRINK OR SMOKE WHILE WORKING WITH
THIS PRODUCT.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:=83.3C, 182.F

Melt/Freeze Pt:1

Spec Gravity:0.88

pH:7

Solubility in Water:SLIGHT

Appearance and Od

or:YELLOW-ORANGE-RED LIQUID

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE STATED

Stability Condition to Avoid:NONE STAT4D

Hazardous Decomposition Products:OXIDES OF CARBON.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compil

ing agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.