

PRODUCTS RESEARCH & CHEMICAL CORP. -- PR-1539,U,PART A (POLYAMINE CURING AGENT) --  
5610-01-024-7001

===== Product Identification =====

Product ID:PR-1539,U,PART A (POLYAMINE CURING AGENT)

MSDS Date:06/18/1986

FSC:5610

NIIN:01-024-7001

Kit Part:Y

MSDS Number: BGFKT

=== Responsible Party ===

Company Name:PRODUCTS RESEARCH & CHEMICAL CORP.

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:

CA

ZIP:91209

Info Phone Num:818-240-2060

Emergency Phone Num:818-240-2060

Preparer's Name:SW

CAGE:DO563

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

Company Name:PRODUCTS RESEARCH & CHEMICAL

Address:NOW DBA COURTAULDS AEROSPACE

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Phone:818-240-2060

CAGE:DO563

===== Composition/In

formation on Ingredients =====

Ingred Name:1-METHOXYL-2-PROPANOL ACETATE (PM ACETATE)

CAS:108-65-6

RTECS #:AI8925000

Other REC Limits:100 PPM

Ingred Name:REACTIVE POLYAMINE (PROPRIATARY)

Other REC Limits:100 PPM

===== Hazards Identification =====

Effects of Overexposure:IRRITATING TO EYES & SKIN.

===== First Aid Measures =====

First Aid:EYE:FLUSH WITH LUKE WARM WATER FOR 15MIN;SKIN:WASH WITH SOAP & WATER;I  
NH:REMOVE TO FRESH AIR; IF ANY SYMPTOMS PERSISTS,CONSULT A PHYSICIAN; ING:CONSULT A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:184F/84C(PMCC)

Lower Limits:1.5

Upper Limits:7

Extinguishing Media:CO\*2, FOAM, DRY CHEM.

Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H\*20 SPRAY TO COOL CONTR.

Unusual Fire/Explosion Hazard:HIGH TEMPERATURES MAY CAUSE PRESSURE BUILD-UP IN CLOSED CONTAINERS.

===== Accidental Release Measure

s =====

Spill Release Procedures:WEAR AIR-SUPPLIED RESPIRATOR FOR MAJOR UNVENTILATED SPILL.COVER WITH ABSORBANT.SCOOP INTO CONTAINERS.CLEAN UP RESIDUE WITH 1,1.1-TRICHLOROETHANE.

===== Handling and Storage =====

Handling and Storage Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF EXCED TLV,NIOSH/MSHA APPR SELF-CNTND BRTHG APP (POS PR MODE)

Ventilation:GENERAL VENTILATI

ON  
Protective Gloves:SOLVENT-RESIST  
Eye Protection:GOGGLES/FACE SHIELD  
Other Protective Equipment:NONE  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1  
Vapor Density:4.6  
Spec Gravity:1.54  
Evaporation Rate & Reference:0.3  
Solubility in Water:SLIGHT  
Appearance and Odor:THICK GRAY PASTE, PUNGENT ODOR  
Percent Volatiles by Volume:10

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES  
STRONG OXIDIZING AGENTS  
Stability Condition to Avoid:NONE  
Hazardous Decomposition Products:OXIDES OF CARBON & NITROGEN

===== Disposal Considerations =====

Waste Disposal Methods:NOT A HAZARDOUS WASTE ACCORDING TO REGULATIONS.CONSULT STATE REGULATIONS PRIOR TO DISPOSAL OF SPILLAGE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.