View NSN Online: https://aerobasegroup.com/nsn/8040-01-025-0237

## THREE BOND OF AMERICA, INC. -- TB1743 -- 8040-01-025-0237

Product ID:TB1743 MSDS Date:07/03/1990

FSC:8040

NIIN:01-025-0237

MSDS Number: BGFNB === Responsible Party ===

Company Name: THREE BOND OF AMERICA, INC.

Address: 20815 HIGGINS COURT

City:TORRANCE

State:CA ZIP:90501 Country:US

Info Phone Num:213-320-3342

Emergency Phone Num:213-320-3342, CHEMTREC 800-424-9300

P

reparer's Name: K.KISHITA

CAGE:60859

=== Contractor Identification ===

Company Name: THREE BOND OF AMERICA, INC.

Address: 20815 HIGGINS COURT

Box:City:TORRANCE

State:CA ZIP:90501 Country:US

Phone:310-320-3342

CAGE:60859

======= Composition/Information on Ingredients ========

Ingred Name: ETHYL CYANOCRYLATE

CAS:7085-85-0

Fraction by Wt: 95-989%

Other REC Limits: NONE SPECIFIED BY M.

Ingred Name:POLYMETHACRYLATE

CAS:9011-14-7 Fraction by Wt: 2-5%

Other REC Limits: NONE SPECIFIED BY M.

==

======================================
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE-EYE AND SKIN IRRITATION. BONDS SKIN INSTANTLY. MAY BE HARMFUL IF INGESTED. CHRONIC- NOT KNOWN. Effects of Overexposure:IRRITATION OF EYES AND SKIN.
======================================
First Aid:SKIN CONTACT:DO NOT PULL, REMOVE ADHESIVE WITH GLU E REMOVER, WASH SKIN WITH MILD SOAPY WATER. EYE:FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. INGESTION:CALL PHYSICIAN IMMEDIATELY.
======================================
Flash Point:181F(83C) Extinguishing Media:FOAM,CO2,DRY CHEMICAL Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR PROTECTIVE CLOTHING AND SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS D ECOMPOSITION PRODUCTS.
======================================
Spill Release Procedures:VENTILATE AREA, WEAR GLOVES. WIPE UP IMMEDIATELY & SAFELY DISCARD SATURATED ABSORBENTS.
======================================
Handling and Storage Precautions:USE WITH ADEQUATE VENTILATION. AVOID PROLONGED BREATHING OF VAPORS & REPEATED CONTACT WITH SKIN. Other Precautions:KEEP AWAY FROM OPEN FLAME & EXCESSIVE HEAT.
====== Exposure
Controls/Personal Protection =======
Respiratory Protection:WEAR NIOSH-APPROVED RESPIRATOR. Ventilation:LOCAL EXHAUST Protective Gloves:POLYETHYLENE Eye Protection:CHEMICAL SAFETY GOGGLES Other Protective Equipment:IMPERVIOUS CLOTHING. Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health THIS MATERIAL IS TYPE II. TIR SHOWS TYPE I.
========= Physical/Chemical Properties ===========
HCC:V4 Vapor Pres:2

HCC:V4 Vapor Pres:2 Vapor Density:>1 Viscosity:1-70CP

S Evaporation Rate & Evaporation