

HYSOL DIVISON, THE DEXTER CORPORATION -- PC29M, PART A -- 5970-01-034-3981

=====
Product Identification
=====

Product ID:PC29M, PART A

MSDS Date:01/01/1987

FSC:5970

NIIN:01-034-3981

MSDS Number: BGGHG

=== Responsible Party ===

Company Name:HYSOL DIVISON, THE DEXTER CORPORATION

Address:211 FRANKLIN ST.

City:OLEAN

State:NY

ZIP:14760-1297

Country:US

Info Phone Num:716-372-6300

Emergency Phone Num:71

6-372-6309

CAGE:MO650

=== Contractor Identification ===

Company Name:DEXTER CORP THE DEXTER ELECTRONIC MATERIAL DIV

Address:211 FRANKLIN ST.

Box:City:OLEAN

State:NY

ZIP:14760-1297

Country:US

Phone:716-372-6300/6309

CAGE:04347

Company Name:HYSOL DIVISON, THE DEXTER CORPORATION

Address:211 FRANKLIN ST.

Box:City:OLEAN

State:NY

ZIP:14760-1297

Country:US

Phone:716-372-6300

CAGE:MO650

=====
Composition/Information on Ingredients
=====

Ingred Name:POLYURETHANE PREPOLYMER RESIN SOLUT

ION (CAS #133-02-07),
(60-100 WT%)
Fraction by Wt: 80%
ACGIH TLV:150 PPM

=====
Hazards Identification
=====

Effects of Overexposure:IRRITATION OF NOSE,THROAT &
EYES;DIZZINESS,WEAKNESS,FATIGUE,NAUSEA,POSSIBLE LUNG INJURY,KIDNEY
DAMAG

=====
First Aid Measures
=====

First Aid:SKIN: WASH SKIN WITH TINCTURE OF GREEN SOAP OR SOAP AND
WATER; EYE: FLUSH EYES WITH CLEAN WATER FOR 15 MINUTES. IF
SYMPTIONS PERSI
ST, SEEK MEDICAL ATTENTION. WASH CLOTHING BEFORE
REUSE.

=====
Fire Fighting Measures
=====

Flash Point:81F/27.3C (TCC)
Lower Limits:1
Upper Limits:7
Extinguishing Media:CO*2, FOAM, DRY CHEM.
Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H*20 SPRAY TO COOL
CONTR.
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:REMOVE IGNITION SOURCES.PROVIDE VENTILATION &
RESPIRATO
RY PROTECTION.LARGE SPILLS MAY BE SCOOPED UP
W/NON-SPARKING TOOLS.SMALL QUANTITIES MAY BE PICKED UP W/ABSORBENT
MATL.IF NECESSARY,RESIDUES MAY BE DECONTAMINATED W/WATER/ALCOHOL
OR AMMONIA SOLUTN.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN COOL,DRY WELL VENTED,LOW FIRE
RISK AREA. PROTECT FR HEAT,SHOCK KEEP CONTAINERS CLOSED.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protec

tion:MASK OR RESPIRATOR FOR ORGANIC VAORS AS
NECESSARY

Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN