

TURCO PRODUCTS,INC. -- TURCO 6433 -- 8010-01-040-1059

===== Product Identification =====

Product ID:TURCO 6433

MSDS Date:01/01/1985

FSC:8010

NIIN:01-040-1059

MSDS Number: BGGZY

=== Responsible Party ===

Company Name:TURCO PRODUCTS,INC.

Emergency Phone Num:213-634-3300

CAGE:D9808

=== Contractor Identification ===

Company Name:TURCO PRODUCTS, INC. DIVISON OF ELF ATOCHEM NORTH AMERICA

Address:2000 M

ARKET ST

Box:City:PHILADELPHIA

State:PA

ZIP:19103-3222

Country:US

Phone:215-419-7890

CAGE:61102

Company Name:TURCO PRODUCTS,INC.

Box:6200

City:PHILADELPHIA

State:PA

ZIP:19103

Country:US

Phone:215-419-7890

CAGE:D9808

===== Composition/Information on Ingredients =====

Ingred Name:PERCHLOROETHYLENE (TETRACHLOROETHYLENE) (SARA III)

CAS:127-18-4

RTECS #:KX3850000

OSHA PEL:100 PPM

ACGIH TLV:25PPM/100,A3 STEL;94

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

Ingred Name:AROMATIC PETROLEU

M SOLVENT

Ingred Name:ETHANOLAMINE

CAS:141-43-5

RTECS #:KJ5775000

OSHA PEL:3 PPM/6 STEL

ACGIH TLV:3 PPM/6 STEL; 9192

Ingred Name:SODIUM MOLYBDATE

CAS:7631-95-0

RTECS #:QA5075000

=====
===== Hazards Identification =====

Effects of Overexposure:INHAL:DIZZY,HEADACHE,INTOXICATION.MILD TO SEVERE SKIN AND EYE IRRITANT

=====
===== First Aid Measures =====

First Aid:INHAL:MOVE TO FRESH AIR.GIVE OXYGEN IF NEEDED.EYES:FLUSH W/WATER FOR 15 MIN. SKIN:REMOVE CONTAMINATED CLOTHES,WASH W/SOAP AND WATER.INGEST:DO NOT INDUCE VOMIT.DILUTE BY GIVING MILK OR WATER.CALL DR.

=====
===== Fire Fighting Measures =====

Extinguishing Media:CARBON DIOXIDE,FOAM
Fire Fighting Procedures:USE SELF-CONTAINED RESPIRATORY APPARATUS.
Unusual Fire/Explosion Hazard:THERMAL DECOMPOSITION MAY PRODUCE TOXIC OXIDES OF CARBON AND CHLORINE

=====
===== Accidental Release Measures =====

Spill
Release Procedures:CONTAIN SPILLAGE,VENTILATE AREA.WIPE UP OR ABSORB SPILLAGE ONTO ABSORBENT MATERIAL.RECOVER IN DRUMS FOR DISPOSAL.

=====
===== Handling and Storage =====

Handling and Storage Precautions:USE CARE IN OPENING DRUMS TO AVOID SPURTING OF CONTENTS.
Other Precautions:VAPORS FROM THIS PRODUCT ARE HEAVIER THAN AIR AND WILL TRAVEL ALONG THE GROUND TO COLLECT IN LOW-LYING AREAS.USE APPROPRIATE PRECAUTIONS.

=====
===== Exposure Control

s/Personal Protection =====

Respiratory Protection:APPROPRIATE SELF-CONTAINED BREATHING APPARATUS.

Ventilation:LOCAL EXHAUST

Protective Gloves:NEOPRENE

Eye Protection:GOGGLES-RUBBER FRAMED

Other Protective Equipment:NEOPRENE BOOTS AND APRON.

Supplemental Safety and Health

DRUMS EXPOSED TO EVEN MODERATE HEAT MAY DEVELOP SUFFICIENT INTERNAL PRESSURE TO RUPTURE.CAN BE ABSORBED THROUGH SKIN IN TOXIC AMTS.

===== Physical/Chemical Properties =====

HCC:N1

Boi

ling Pt:B.P. Text:>100/>212

Vapor Pres:20

Vapor Density:>1

Spec Gravity:1.28

Evaporation Rate & Reference:BUTYL ACETATE=1: