Product ID:CLEANING COMPOUND, 101, AIRCRAFT SURFACE MSDS Date:01/01/1985 FSC:6850 NIIN:01-045-7929 MSDS Number: BGHLR === Responsible Party === Company Name: FOSTER CHEMICALS Emergency Phone Num:313-867-5444 CAGE:MO720 === Contractor Identification === Company Name: DIVERSIFIED CHEMIC **AL TECHNOLOGIES** Address:15477 WOODROW WILSON AVE Box:City:DETROIT State:MI ZIP:48238-1586 Country:US Phone:313-867-5444 CAGE:2R123 Company Name: FOSTER CHEMICALS CAGE:MO720

Ingred Name:2-BUTOXYETHANOL CAS:111-76-2 RTECS #:KJ8575000 Fraction by Wt: 6.7% OSHA PEL:S, 50 PPM ACGIH TLV:S, 25 PPM; 9293

Ingred Name:ETHANOLAMINE CAS:141-43-5 RTECS #:KJ5775000 Fraction by Wt: 1.5% OSHA PEL:3 PPM/6 STEL ACGIH TLV:3 PPM/6 STEL; 9192

In

gred Name: POTASSIUM HYDROXIDE (SARA III) CAS:1310-58-3 RTECS #:TT2100000 Fraction by Wt: 2% OSHA PEL:C, 2 MG/M3 ACGIH TLV:C 2 MG/M3; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS Ingred Name:NAPHTA (PETROLEUM SPIRITS OR BENZIN) CAS:8030-30-6 RTECS #:DE3030000 Fraction by Wt: 45% OSHA PEL:100 PPM Effects of Overexposure: INH: DIZZINESS, NAUSEA First Aid: NH: REMOVE VICTIM TO FRESH AIR. Flash Point:180F, 82.2C,COC Extinguishing Media: FOAM 2, DRY CHEMICALS Fire Fighting Procedures: SELF-CONT BREATH APP **Unusual Fire/Explosion Hazard:NONE** Spill Release Procedures: FLUSH WITH WATER. Handling and Storage Precautions: KEEP FROM FREEZING. AVOID EXCE SSIVE HEAT. DO NOT STORE NEAR FIRE OR FLAME. Respiratory Protection: USE NIOSH/MSHA APPRVD RESP IF REQUIRED Ventilation: MECHANICAL-SUFFICIENT TO KEEP BELOW TLV. Protective Gloves:WORK GLOVES Eve Protection:SAFETY GLASSES Other Protective Equipment:NONE REQUIRED Supplemental Safety and Health SPEC: CLASS I. 

HCC:V4 Boiling Pt:B.P. Text:206F, 96.7C Vapor De nsity:< 1 Spec Gravity:0.968 Evaporation Rate & Reference: