

MILLER DIAL/FOTOFOIL -- CHLORINATED SOLVENT MIX. -- 6750-01-047-8563

=====  
Product Identification  
=====

Product ID:CHLORINATED SOLVENT MIX.

MSDS Date:01/01/1985

FSC:6750

NIIN:01-047-8563

MSDS Number: BGHRK

=== Responsible Party ===

Company Name:MILLER DIAL/FOTOFOIL

Address:4400 N TEMPLE CITY BLVD

City:EL MONTE

State:CA

ZIP:91731

Country:US

CAGE:MO734

=== Contractor Identification ===

Company Name

:MILLER DIAL CORP FOTOFOIL DIVISION

Address:4400 N TEMPLE CITY BLVD

Box:City:EL MONTE

State:CA

ZIP:91731

Country:US

CAGE:91345

Company Name:MILLER DIAL/FOTOFOIL

Address:4400 N TEMPLE CITY BLVD

Box:City:EL MONTE

State:CA

ZIP:91731

Country:US

CAGE:MO734

=====  
Composition/Information on Ingredients  
=====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ2975000

OSHA PEL:350 PPM/450 STEL

ACGIH TLV:350 PPM/450STEL;9192

EPA Rpt Qty:1000 LBS

DOT

Rpt Qty:1000 LBS  
Ozone Depleting Chemical:1

Ingred Name:METHYLENE CHLORIDE (SARA III)  
CAS:75-09-2  
RTECS #:PA8050000  
OSHA PEL:500 PPM/C,1000; Z2  
ACGIH TLV:50 PPM, A2; 9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

=====  
First Aid Measures  
=====

First Aid:EYES:FLUSH WITH WATER SKIN:REMOVE CONTAMINATED CLOTHING,WASH  
AFFECTED AREAS WITH SOAP AND WATER.INGESTION:INDUCE  
VOMITING,INHALATION;REMOVE TO FRESH AIR

=====  
Fire Fighting Measures  
=====

Flash Point:NONE  
Fire Fighting Procedures:CARBON DIOXIDE OR FOAM,AS APPROPRIATE FOR  
SURROUNDINGS.  
Unusual Fire/Explosion Hazard:AVOID EXPOSURE TO OPEN FLAMES OR  
EXTREMELY HIGH TEMPERATURES

=====  
Accidental Release Measures  
=====

Spill Release Procedures:GET PERSONNEL PROTECTIVE EQUIPMENT.SOAK UP  
SPILL IN ABSORBENT MATERIAL AND PUMP INTO DRUMS FOR DISPOSAL,WASH  
DOWN AREA WITH WATER

=====  
Handling and Storage  
=====

Handling and Storage Precautions:AVOID PHYSICAL DAMAGE TO DRUMS,STORE  
IN VENTILATED AREAS OUT OF SUN AND FIRE HAZARDS  
Other Precautions:PROTECT STORAGE TANK VENTS WITH A DRYER

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:ORGANIC VAPOR-ACID GAS CANNISTER-SELF CONTAINING  
BREATHING  
Ventilation:LOCAL-AT POINTS OF EMISSION-GENERAL ROOM VENTILATION  
Protective Gloves:YES,NEOPRENE  
Eye Protection:CHEMICAL SAFETY GOGGLES  
Ot

her Protective Equipment:NEOPRENE SAFETY SHOES AND FACE SHIELD  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:T4  
Spec Gravity:1.314  
Solubility in Water:NONE  
Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

===== Disposal Considerations =====

Waste Disposal Methods:SUBMIT TO CONTRACT SERVICE FOR RECLAMATION OR  
DISPOSAL

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
part  
icular situation.