View NSN Online: https://aerobasegroup.com/nsn/6750-01-047-9108

ALLIED PHOTO PRODUCTS CO -- 21002 -- 6750-01-047-9108

============= Product Identification ==============

Product ID:21002

MSDS Date:09/15/1986

FSC:6750

NIIN:01-047-9108

MSDS Number: BGHRM === Responsible Party ===

Company Name: ALLIED PHOTO PRODUCTS CO

Address:6410 ATLANTIC BLVD, SUITE 120

City:NORCROSS

State:GA ZIP:30071 Country:US

Info Phone Num:404-448-6120

Emergency Phone Num:404-448-6120

CAGE:1CG79 === Contra

ctor Identification ===

Company Name: ALLIED PHOTO PRODUCT CO, SUB OF ALLIED PRODUCT CORP

Address:5440-A OAKBROOK PKY

Box:City:NORCROSS

State:GA

ZIP:30093-2251 Country:US

Phone:770-448-0250

CAGE:1CG79

======= Composition/Information on Ingredients ========

Ingred Name: AMMONIUM BROMIDE

CAS:12124-97-7 RTECS #:BO9170000 Fraction by Wt: 30-50%

Ingred Name:POTASSIUM NITRATE

CAS:7758-09-0 RTECS #:TT3750000 Fraction by Wt: 5-15%

Ingred Name: ACETIC ACID (SARA III)

CAS:64-19-7 RTECS #:AF1

Fraction by Wt: 2-6% OSHA PEL:10 PPM ACGIH TLV:10 PPM/15 STEL; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS
======================================
Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Effects of Overexposure:COMPLAINTS OF BURNING OR IRRITATION OF EYES & MUCOUS MEMBRANES & DEVELOPMENT OF SKIN IRRITATION. Medical Cond Aggravated by Exposure:NONE KNOWN
======================================
First Aid:EYES-FLUSH W/WATER 15 MIN;GET MED ATTN. SKIN-FLUSH W/PLENTY WATER,IF IRRITATION/ALLERGIC REACTION DEVELOPS,GET MED ATTN. INGEST-SEEK IMMED MED ADVICE,PROVIDE DETAILS OF AMT SWALLOWED & TOXICITY.
======================================
Flash Point:NONE Extinguishing Media:AS APPROPRIATE FOR SOURCE OF FIRE Fire Fighting Procedures:USE SLF-CONTND BREATH APPARATUS & PROTECT CLOTH, WATER STOPS CHEM DECOMP OF HYROXYLAMINE SULFATE. Unusual Fire/Explosion Hazard:CRYSTALS FROM DRIES LIQUID COULD PRESENT AN EXPLOSION HAZARD WHEN EXPOSED TO HEAT >265F/130C/
========= Accidental Release Measures ==========
Spill Release Procedures:WEAR PROTECTIVE CLOTHING. ADD DRY ABSORBENT,CLEAN UP & PLACE IN APPROVED DOT CONTNR,SEAL FOR DISPOSAL.
============= Handling and Storage ==============
Handling and Storage Precautions: KEEP TIGHTLY SEALED DO NOT STORE OR

CONSUME FOOD DRINK OR TOBACCO IN AREA WHERE THEY MAY BECOME CONTAM W/PRODUCT. STORE ABOVE 40F. Other Precautions: AVOID UNNECESSARY PERSONAL CONTACT. AVOID IMCOMPATIBLE SUBSTANCES. WASH THOROUGHLY AFTER HANDLING. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: NONE REQD Ventilation: GOOD GENERAL VENTILATION Protective Gloves: IMPERVIOUS Eye Protection: SAFETY GLASSES OR GOGGLES Other Protective Equipment: AS NECESSARY TO PREVENT EYE & SKIN CONTA CT Supplemental Safety and Health ======== Physical/Chemical Properties =========== HCC:C3 Boiling Pt:B.P. Text:>212F/100C Vapor Pres:16

Vapor Pres:16 Vapor Density:0.6 Spec Gravity:1.30

pH:2.0

Evaporation Rate & Damp; Reference: 1/WATER=1/

Solubility in Water: COMPLETE

Appearance and Odor: COLORLESS, ODORLESS LIQUID

Percent Volatiles by Volume:UNK

Corrosion Rate:UNK

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES STRONG ALKALIES & ACIDS Stability Condition to Avoid:FIRE OR HEA

Stability Condition to Avoid:FIRE OR HEAT ABOVE 265F Hazardous Decomposition Products:AMMONIA & BROMINE

======== Disposal Considerations =============

Waste Disposal Methods: CONSULT PROPER FED, STATE & LOCAL REGULATORY AGENCIES TO ASCERTAIN PROPER PROCEDURES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoe

ver,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.