

RANDOLPH PRODUCTS CO -- EPOXY POLYAMIDE PRIMER, PT-A -- 8010-01-050-4082

=====
Product Identification
=====

Product ID:EPOXY POLYAMIDE PRIMER, PT-A

MSDS Date:01/01/1987

FSC:8010

NIIN:01-050-4082

Kit Part:Y

MSDS Number: BGHZL

=== Responsible Party ===

Company Name:RANDOLPH PRODUCTS CO

Address:92 N 12TH STREET

City:CARLSTADT

State:NJ

ZIP:07072

Info Phone Num:201-438-3700

Emergency Phone Num:201-438

-3700

CAGE:77672

=== Contractor Identification ===

Company Name:RANDOLPH PRODUCTS CO

Address:701 12TH ST

Box:830

City:CARLSTADT

State:NJ

ZIP:07072-0830

Country:US

Phone:201-438-3700

CAGE:77672

=====
Composition/Information on Ingredients
=====

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 1-10%

OSHA PEL:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:VM&P NAPHTHA (LIGROINE)

CAS:8032-32-4

RTECS #:O

I6180000
Fraction by Wt: 1-10%
Other REC Limits:300 PPM
OSHA PEL:300 PPM/400 STEL
ACGIH TLV:300 PPM; 9192

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)
CAS:78-93-3
RTECS #:EL6475000
Fraction by Wt: 20-30%
OSHA PEL:200 PPM/300 STEL
ACGIH TLV:200 PPM/300STEL 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:2-ETHOXYETHYL ACETATE (CELLOSOLVE ACETATE) (EGEEA)
CAS:111-15-9
RTECS #:KK8225000
Fraction by Wt: 1-10%
OSHA PEL:S,100 PPM
ACGIH TLV:S, 5 PPM; 9192

Ingred Name:MAGN
ESIUM SILICATE HYDRATE
CAS:1343-90-4
RTECS #:OM4360000
Fraction by Wt: 15-20%

Ingred Name:STRONTIUM CHROMATE (SARA III)
CAS:7789-06-2
RTECS #:GB3240000
Fraction by Wt: 19-23%
OSHA PEL:0.1 PPM CRO3;CEILING
ACGIH TLV:0.0005MG CR/M3;A2;93
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES
Health Hazards Acute and Chronic:NONE GI

VEN
Explanation of Carcinogenicity:CHROMATE(+6) COMPOUND IS A LISTED
CARCINOGEN.

Effects of Overexposure:SOLVENT VAPORS MAY CAUSE
DROWSINESS,HEADACHE,DIZZINESS & IRRITATION OF EYES,NOSE AND THROAT.
Medical Cond Aggravated by Exposure:NONE GIVEN

===== First Aid Measures =====

First Aid:INH:REMOVE TO FRESH AIR,CONSULT PHYSICIAN; EYE/SKIN:FLUSH
WITH PLENTY OF WATER

===== Fire Fighting Measures =====

Flash Point
Method:TCC
Flash Point:=-6.7C, 20.F
20F/-6.67C
Lower Limits:0.9
Extinguishing Media:SAND,FOAM,CO*2,CHEMICAL
Fire Fighting Procedures:USE AIR SUPPLIED RESCUE EQUIPMENT FOR ENCLOSED
AREAS. COOL EXPOSED CONTAINERS WITH WATER TO PREVENT EXPLOSION DUE
TO PRESSURE.
Unusual Fire/Explosion Hazard:PREVENT FIRE,KEEP AWAY FROM HEAT,SPARKS
AND OPEN FLAMES.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE SOURCES OF IGNITION,WEAR APPROVED
R
ESPIRATOR,CONTAIN SPILL WITH INERT SUBSTANCE (SAND,DIRT).PUT
MIXTURE IN CONTAINERS FOR DISPOSAL.KEEP SPILL OUT OF SEWERS & OPEN
BODIES OF WATER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP TIGHTLY CLOSED & KEPT AT WELL
VENTILATED AREAS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR MESA/NIOSH APPROVED RESPIRATOR WHERE VAPOR
CONCENTRATIONS ARE ENCOUNTERED.
Ventilatio

n:EXPLOSION PROOF EXHAUST
Protective Gloves:NEOPRENE
Eye Protection:CHEMICAL SPLASH GOGGLES
Other Protective Equipment:BOOTS,COVERALLS,ETC.
Supplemental Safety and Health
KEY1:F3.

===== Physical/Chemical Properties =====

HCC:F2
Boiling Pt:B.P. Text:173-273F
Vapor Density:>1
Spec Gravity:1.25
Evaporation Rate & Reference:< ETHER
Appearance and Odor:LIQUID
Percent Volatiles by Volume:60

===== Stability and Reactivity Data =====

Stabilit
y Indicator/Materials to Avoid:YES
NONE STATED.
Stability Condition to Avoid:HOT OR OPEN FLAMES
Hazardous Decomposition Products:NONE STATED.

===== Disposal Considerations =====

Waste Disposal Methods:ACCORDING TO CURRENT LOCAL,STATE & FEDERAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatso
ever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.