View NSN Online: https://aerobasegroup.com/nsn/6810-01-051-3050

OCCIDENTAL CHEMICAL CORPORATION -- CAUSTIC SODA-DIAPHRAGM 50 % CONTINUED ON PNIND-C -- 6810-01-051-3050

============= Product Identification ========================

Product ID:CAUSTIC SODA-DIAPHRAGM 50 % CONTINUED ON PNIND-C

MSDS Date:10/15/1996

FSC:6810

NIIN:01-051-3050

MSDS Number: BGJCD === Responsible Party ===

Company Name: OCCIDENTAL CHEMICAL CORPORATION

Address:5005 LBJ FREEWAY

Box:809050 City:DALLAS State:TX ZIP:75 380

Country:US

Info Phone Num:800-752-5151

Emergency Phone Num:800-733-3665/972-404-8228

CAGE:0AH54

=== Contractor Identification ===

Company Name:BCI

Address: US HWY1 S KENTON COMPLEX

Box:1206

City:SAINT AUGUSTINE

State:FL ZIP:32085 Country:US

Phone:800-826-6168

CAGE:1CD46

Company Name: OCCIDENTAL CHEMICAL CORPORATION

Address:5005 LYNDON B JOHNSON FWY

Box:City:DALLAS

State:TX

ZIP:75244-6198

Country:US

Phone:800-752-5151/972-404-3800

CAGE:0AH54

Company Name: P B AND S CHEMICAL CO

CAGE:2Y910 Company Name:SUNRISE INDUSTRIAL SALES INC Address:9085 RIVEREDGE Box:City:CORDOVA State:TN ZIP:38018 Country:US

Phone:901-755-3015

CAGE:02WP5

Company Name: TEXTILE CHEMICAL CO Address: POTTSVILLE PIKE & HULLER LANE

Box:City:READING

State:PA ZIP:19605 Country:US

Phone:215-926-4151

CAGE:9D436

======= Composition/Information on Ingredients ========

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 48.5-91%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:NOT RELEVANT

ACGIH TLV:NOT R

ELEVANT

Ingred Name:SODIUM HYDROXIDE (CERCLA)

CAS:1310-73-2

RTECS #:WB4900000 Fraction by Wt: 9- 51.5%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:2 MG/M3

ACGIH TLV:C 2 MG/M3; 9596

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: SODIUM CHLORIDE

CAS:7647-14-5

RTECS #:VZ4725000 Fraction by Wt: 0 - 1.3%

Other REC Limits: NONE RECOMMENDED

Ingred Name: SODIUM CHLORATE

CAS:7775-09-9

RTECS #:F00525000 Fraction by Wt: 0 - 0.3%

Other REC Limits: NONE RECOMMENDED

====== Hazards Ident

ification					

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN.
Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:**CORROSIVE** EYES:MAY CAUSE

IRRITATION, BURNS, POSSIBLY BLINDESS. SKIN: MAY CAUSE

IRRITATION.INGEST:MAY CAUSE DELAYED GI TRACT IRRITATION AND BURNS.INHAL:MAY CAUSE RESPIRATORY IRRITATION,BURNS,POSSIBLY C

HEMICAL PNEUMONIA.

Explanation of Carcinogenicity: THERE ARE NO

INGREDIENTS ABOVE 0.1%

WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP, IARC OR OSHA.

Effects of Overexposure: SEVERE BURNS, PAIN, NAUSEA, VOMITING.

Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH COOL WATER.GET MEDICAL ATTENTION IF NEEDED.EYES:FLUSH WITH WATER FOR 15 MINUTES.GET IMMEDIATE MEDICAL ATTENTION.INHAL:REMOVE TO FRESH AIR.GIVE OXYGE

N OR ART IFICIAL RESPIRATION IF NEEDED.GET IMMEDIATE
MEDICAL ATTENTION.INGEST:DO NOT INDUCE VOMITING.GET PROMPT
QUALIFIED MEDICAL ATTENTION.IF CONSCIUS,GIVE MILK OR WATER.KEEP
AIRWAY CLEAR.

	Fire Fighting Measures	
--	------------------------	--

Flash Point:NONE

Extinguishing Media: USE CARBON DIOXIDE, FOAM OR DRY CHEMICAL. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHI


NG APPARATUS. HAZARDOUS DECOMPOSITION PRODUCTS MAY BE FORMED.

Unusual Fire/Explosion Hazard:DIRECT CONTACT WITH WATER CAN CAUSE VIOLENT EXOTHERMIC REACTION.

=============	Accidental	Release	Measures	=============
---------------	------------	---------	----------	---------------

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. VENTILATE AREA. CONTAIN SPILL AND REMOVE WITH VACUUM TRUCK. NEUTRALIZE REMAINING TRACES OF MATERIAL WITH DILUTE ACID AND FLUSH WITH PLENTY OF WATER.NEVER FLUSH TO SEWER.

Neutralizing Agent: ACETIC, HYDR



Solubility in Water: NOT AVAILABLE

Appearance and Odor:CLEAR LIQUID WITH NO DISTINCT ODOR.

Percent Volatiles by Volume:0 Corrosion Rate:CORROSIV

== Stability and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES
AIR,WATER,ACIDS AND METALS(SN,AL,ZN),LEATHER,WOOL,ORGANIC
HALOGENS,ORGANIC NITRO COMPOUNDS.

Stability Condition to Avoid:AVOID DIRECT CONTACT WITH WATER.

Hazardous Decomposition Products:CO(GAS) MAY BE FORMED WHEN THIS PRODUCT CONTACTS REDUCING SUGARS,FOODS,BEVERAGES;USE CAUTION IN CONFINED SPACES.

======= Disposal Considerations ============

Waste Disposal Method

s:DISCHARGE, TREATMENT OR DISPOSAL IS SUBJECT TO FEDERAL, STATE OR LOCAL REGULATIONS. FLUSH NEUTRALIZED SOLUTION TO SEWER WITH LARGE AMOUNT OF WATER, IF PERMITTED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.