

OCCIDENTAL CHEMICAL CORPORATION -- CAUSTIC SODA-DIAPHRAGM 50 % CONTINUED ON
PNIND-C -- 6810-01-051-3050

===== Product Identification =====

Product ID:CAUSTIC SODA-DIAPHRAGM 50 % CONTINUED ON PNIND-C

MSDS Date:10/15/1996

FSC:6810

NIIN:01-051-3050

MSDS Number: BGJCD

=== Responsible Party ===

Company Name:OCCIDENTAL CHEMICAL CORPORATION

Address:5005 LBJ FREEWAY

Box:809050

City:DALLAS

State:TX

ZIP:75

380

Country:US

Info Phone Num:800-752-5151

Emergency Phone Num:800-733-3665/972-404-8228

CAGE:0AH54

=== Contractor Identification ===

Company Name:BCI

Address:US HWY1 S KENTON COMPLEX

Box:1206

City:SAINT AUGUSTINE

State:FL

ZIP:32085

Country:US

Phone:800-826-6168

CAGE:1CD46

Company Name:OCCIDENTAL CHEMICAL CORPORATION

Address:5005 LYNDON B JOHNSON FWY

Box:City:DALLAS

State:TX

ZIP:75244-6198

Country:US

Phone:800-752-5151/972-404-3800

CAGE:0AH54

Company Name:P B AND S CHEMICAL CO

CAGE:2Y910

Company

Name:SUNRISE INDUSTRIAL SALES INC
Address:9085 RIVEREDGE
Box:City:CORDOVA
State:TN
ZIP:38018
Country:US
Phone:901-755-3015
CAGE:02WP5
Company Name:TEXTILE CHEMICAL CO
Address:POTTSVILLE PIKE & HULLER LANE
Box:City:READING
State:PA
ZIP:19605
Country:US
Phone:215-926-4151
CAGE:9D436

=====
Composition/Information on Ingredients
=====

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 48.5-91%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT RELEVANT
ACGIH TLV:NOT R
ELEVANT

Ingred Name:SODIUM HYDROXIDE (CERCLA)
CAS:1310-73-2
RTECS #:WB4900000
Fraction by Wt: 9- 51.5%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:2 MG/M3
ACGIH TLV:C 2 MG/M3; 9596
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM CHLORIDE
CAS:7647-14-5
RTECS #:VZ4725000
Fraction by Wt: 0 - 1.3%
Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM CHLORATE
CAS:7775-09-9
RTECS #:FO0525000
Fraction by Wt: 0 - 0.3%
Other REC Limits:NONE RECOMMENDED

=====
Hazards Ident

ification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:**CORROSIVE** EYES:MAY CAUSE

IRRITATION,BURNS,POSSIBLY BLINDESS.SKIN:MAY CAUSE

IRRITATION.INGEST:MAY CAUSE DELAYED GI TRACT IRRITATION AND

BURNS.INHAL:MAY CAUSE RESPIRATORY IRRITATION,BURNS,POSSIBLY C
HEMICAL PNEUMONIA.

Explanation of Carcinogenicity:THERE ARE NO

INGREDIENTS ABOVE 0.1%

WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP,IARC OR OSHA.

Effects of Overexposure:SEVERE BURNS, PAIN, NAUSEA, VOMITING.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH COOL WATER.GET

MEDICAL ATTENTION IF NEEDED.EYES:FLUSH WITH WATER FOR 15

MINUTES.GET IMMEDIATE MEDICAL ATTENTION.INHAL:REMOVE TO FRESH

AIR.GIVE OXYGE

N OR ART IFICIAL RESPIRATION IF NEEDED.GET IMMEDIATE

MEDICAL ATTENTION.INGEST:DO NOT INDUCE VOMITING.GET PROMPT

QUALIFIED MEDICAL ATTENTION.IF CONSCIUS,GIVE MILK OR WATER.KEEP

AIRWAY CLEAR.

===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:USE CARBON DIOXIDE, FOAM OR DRY CHEMICAL. USE WATER
SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED

SELF-CONTAINED BREATHI

NG APPARATUS. HAZARDOUS DECOMPOSITION

PRODUCTS MAY BE FORMED.

Unusual Fire/Explosion Hazard:DIRECT CONTACT WITH WATER CAN CAUSE

VIOLENT EXOTHERMIC REACTION.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. VENTILATE AREA.

CONTAIN SPILL AND REMOVE WITH VACUUM TRUCK. NEUTRALIZE REMAINING

TRACES OF MATERIAL WITH DILUTE ACID AND FLUSH WITH PLENTY OF

WATER.NEVER FLUSH TO SEWER.

Neutralizing Agent:ACETIC, HYDR

OCHLORIC, SULFURIC, PHOSPHORIC, NITRIC
ACIDS

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN CLOSED CONTAINER AWAY FROM
INCOMPATIBLE MATERIALS. KEEP OUT OF REACH OF CHILDREN.

Other Precautions:DO NOT GET INTO EYES OR ON SKIN. DO NOT TAKE
INTERNALLY. WASH THOROUGHLY AFTER HANDLING. USE WITH ADEQUATE
VENTILATION.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE SHOULD BE
NEEDED. WEAR NIOSH APPROVED

RESPIRATORS WHERE DUST, MIST OR SPRAY MAY BE GENERATED.

Ventilation:NONE NORMALLY REQUIRED. USE LOCAL EXHAUST VENTILATION WHERE
DUST, MIST OR SPRAY MAY BE GENERATED.

Protective Gloves:RUBBER,NEOPRENE,VINYL.

Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES

Other Protective Equipment:PROTECTIVE CLOTHING,AS NEEDED.PROVIDE A
LOCAL EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND
RECOMMENDED PRO

CEDURES. WASH THOROUGHLY BEFORE EATING,
DRINKING/SMOKING.

Supplemental Safety and Health

THIS RECORD IS CONTINUED ON PNIND-C.

=====
Physical/Chemical Properties
=====

HCC:B1

Boiling Pt:=143.9C, 291.F

Melt/Freeze Pt:=12.C, 53.5F

Decomp Temp:Decomp Text:NOT KNOWN

Vapor Pres:13MM/60C

Spec Gravity:1.53

pH:14

Solubility in Water:NOT AVAILABLE

Appearance and Odor:CLEAR LIQUID WITH NO DISTINCT ODOR.

Percent Volatiles by Volume:0

Corrosion Rate:CORROSIV

=====

== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

AIR, WATER, ACIDS AND METALS (SN, AL, ZN), LEATHER, WOOL, ORGANIC HALOGENS, ORGANIC NITRO COMPOUNDS.

Stability Condition to Avoid: AVOID DIRECT CONTACT WITH WATER.

Hazardous Decomposition Products: CO (GAS) MAY BE FORMED WHEN THIS PRODUCT CONTACTS REDUCING SUGARS, FOODS, BEVERAGES; USE CAUTION IN CONFINED SPACES.

===== Disposal Considerations =====

Waste Disposal Method

s: DISCHARGE, TREATMENT OR DISPOSAL IS SUBJECT TO FEDERAL, STATE OR LOCAL REGULATIONS. FLUSH NEUTRALIZED SOLUTION TO SEWER WITH LARGE AMOUNT OF WATER, IF PERMITTED.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person

utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.