View NSN Online: https://aerobasegroup.com/nsn/9150-01-052-7562

Product ID:CHEMLUBE 501 MSDS Date:05/01/1994 FSC:9150 NIIN:01-052-7562 MSDS Number: BGJDQ === Responsible Party === Company Name:ULTRACHEM INC. Address:1400 N. WALNUT STREET Box:2053 **City:WILMINGTON** State:DE ZIP:19899 Country:US Info Phone Num:302-571-8520 Emergency Phone Num:302-571-8520 CAGE:KO345 === Contract or Identification === **Company Name: ULTRACHEM INC** Address:900 CENTERPOINT BLVD Box:City:NEW CASTLE State:DE ZIP:19720 Country:US Phone:302-325-9880 CAGE:56385 Company Name:ULTRACHEM INC. Address:1400 N. WALNUT STREET Box:2053 City:WILMINGTON State:DE ZIP:19899 Country:US Phone:302-571-8520 CAGE:KO345

Ingred Name: DIESTER AND ORGANIC COMPOUND BLEND Other REC Limits: 5MG/M3 OIL MIST

================= Hazards Identification

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:MATERIAL IS ESSENTIALLY INERT, MAY IRRITATE EYES AND SKIN. CHRONIC:UNKNOWN. Effects of Overexposure:MILD IRRITATION OR EYES. Medical Cond Aggravated by Exposure:NONE KNOWN

First Aid:INHALATION:REMOVE TO FRESH AIR, PROVIDE CPR/OXYGEN IF NEEDED. EYE CO

NTACT:FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL HELP. SKIN CONTACT:WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. GET ME D ATTENTION IF SYMPTOMS PERSIST. INGESTION:DO NOT INDUCE VOMITING, DRINK 1-2 GLASSES OF WATER OR MILK. GET MEDICAL HELP IMMEDIATELY.

Flash Point Method:COC Flash Point:510F,266C Autoignition Temp: Autoignition Temp Text: 770F Extinguishing Media: SMALL FIRE - DRY CHEMICAL OF CARBON DIOXIDE. LARGE FIRE - FOAM OR WATER SPRAY. Fire Fighting Procedures: IF CLOSED DRUMS ARE EXPOSED TO FIRE, KEEP COOL WITH WATER SPRAY TO PREVENT PRESSURE BUILD-UP. Unusual Fire/Explosion Hazard: TOXIC FUMES MAY BE RELEASED DURING COMBUSTION. Spill Release Procedures: USE PROPER PERSONAL PROTECTION; CONTAIN FREE MATERIAL IF POSSIBLE; USE SUITABLE INERT ABSORBENT MATERIAL AND **RECOVER FOR PROPER DISPOSAL IN AN APP** ROVED CONTAINER. Neutralizing Agent:NOT APPLICABLE.

Handling and Storage Precautions: STORE IN A CLEAN, DRY AREA AWAY FROM MOISTURE.

Other Precautions:DO NOT TAKE INTERNALLY. DO NOT BREATHE MIST. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR. AVOID CONTACT WITH EYES. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

======= Exposure Controls/Personal Protection ==========

**Respiratory Prote** 

ction:NONE NORMALLY REQUIRED. USE NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS IF TLV IS EXCEEDED OR WHEN SPRAYING OR USING IN CONFINED SPACES. Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV. Protective Gloves: NEOPRENE, NITRILE, OR NATURAL RUBBER Eye Protection:SAFETY GOGGLES Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER. Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR. S upplemental Safety and Health AVOID PROLONGED OR REPEATED EXPOSURE. DO NOT GET ON SKIN OR IN EYES. DO NOT BREATHE VAPORS OR MISTS. HCC:V6 Vapor Pres:NEGLIGIBLE Spec Gravity:0.94 Solubility in Water:NEGLIGIBLE Appearance and Odor:STRAW COLOR, BLAND ODOR.

Percent Volatiles by Volume:0 %

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS. Stabilit y Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE.

Waste Disposal Methods:DISPOSAL MUST BE MADE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of Ame rica in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.