View NSN Online: https://aerobasegroup.com/nsn/5970-01-063-0085 SHELL OIL CO. -- EPON CURING AGENT V-25 -- 5970-01-063-0085 ============= Product Identification ======================== Product ID:EPON CURING AGENT V-25 MSDS Date:01/01/1985 FSC:5970 NIIN:01-063-0085 MSDS Number: BGJWF === Responsible Party === Company Name: SHELL OIL CO. Emergency Phone Num:713-473-9461 CAGE:EO135 === Contractor Identification === Company Name: SHELL OIL CO. Address:1 SHELL PLAZA Box:2463 City:HUSTON Sta te:TX ZIP:77001 CAGE:EO135 Company Name: SHELL OIL COMPANY Address:Box:2463 City:HOUSTON State:TX ZIP:77210 Country:US Phone:800-231-6950 CAGE:54527 ======= Composition/Information on Ingredients ======== Ingred Name: POLYAMIDE RESIN(EPON CURING AGENT V-25) Fraction by Wt: 100% Effects of Overexposure: EYES: EXTREMELY IRRITATING; SKIN: MILDLY IRRITATING. ========= First Aid Measures ========

=========

First Aid:EYES:FLUSH W/WTER FOR 15 MIN.GET DR.PROMPTLY. SKIN:WIPE OFF EXCESS LIQUID.WASH WELL W/SOAP & WATER OR WATERLESS SKIN CLEANSER FOLLOWED BY SOAP & WATER.INGEST:INDUCE VOMIT.GET DR. Flash Point:446 F COC Extinguishing Media:CO\*2,FOAM,DRY CHEM.WATER SPRAY Fire Fighting Procedures:WEAR FULL PROTECTIVE EQUIP.INCLD.SELF-CONT.BRTHG APPARAT. Unusual Fire/Explosion Hazard: MAY FORM NITROGEN OXIDE ON C OMBUSTION. ======== Accidental Release Measures ============ Spill Release Procedures: WEAR APPROPRIATE PROTECTIVE EQUIP. DIKE LIQ.& REMOVE BY PUMPING INTO SALVAGE DRUMS. SOAK UP RESIDUE & SMALL SPILLS W/ABSORBENT SUCH AS CLAY & PLACE INTO TIGHT CONTAINER FOR DISPOSAL.IF ADDITIONAL CLEANU P IS REQUIRED, SCRUB W/5% ACETIC ACD & **RINSE** ============= Handling and Storage ================= Handling and Storage Precautions: KEEP CONTAINER TIGHTLY CLOSED. STORE IN A COOL, DRY PLACE. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: NOT ORDINARILY REQUIRED Ventilation: REQUIRED IN MIXING & APPLICATION AREAS TO CONTROL VAPOR **EXPO** Protective Gloves: RUBBER Eye Protection: SAFETY GLASSES/GOGGELS Other Protective Equipment: AS REQUIRED TO PREVENT SKIN CONTACT Supplemental Safety and Health

KEY1:N1.

======== Physical/Chemical Properties ===========

HCC:N1

Boiling Pt:B.P. Text:DECOMP:500

F Spec Gravity: