View NSN Online: https://aerobasegroup.com/nsn/8010-01-070-4549

N/P ARROL 3 CUT WHITE SHELLAC 8010-01-070-4549 Product ID:ARROL 3 CUT WHITE SHELLAC MSDS Date:01/01/1985 FSC:8010 NIIN:01-070-4549 MSDS Number: BGKKF === Responsible Party === CAGE:59973 === Contractor Identification === Company Name:CARROLL/LTD INC Address:2656 SALMON ST Box:City:PHILADELPHIA State:PA ZIP:19125-4034 Country:US CAGE:59973
======================================
Ingred Name:NO I NGREDIENT FOR THIS FORMULATION_INGREDIENT
======================================
Effects of Overexposure:EYE, SKIN, THROAT IRRITANT. HEADACHE, DROWSINESS, INTOXICATIN
======================================
First Aid:REMOVE TO FRESH AIR, GIVE ARTIFICIAL RESPIRATION IF NECESSARY. WASH SKIN WELL. FLUSH EYES 15 MINUTES WITH WATER. CALL DOCTOR. GIVE OXYGEN IF NECESSARY.
======================================
Flash Point:50F, 10C TCC Lower Limits:4.3 Upper Limits:19.0 Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL Fire Fighting Procedures:WATER WILL SCATTER AND SPREAD FIREDO NOT USE. Unusual Fire/Explosion Hazard:KEEP FROM HEAT, SPARKS, FIRE, FLAME; USE
EXPLOSION-PROOF ELECTRICAL EQUIPMENT; VENTILATED AREA
======================================
Spill Release Procedures:REMOVE ALL SOURCES OF HEAT SPARKS. DO NOT BREATHE FUMES. AVOID BODILY

## CONTACT. CONTAIN SPILL IN DIKED AREA TO MINIMIZE VAPORS

Handling and Storage Precautions: STORE BELOW 100F DEGREES. USE GLASS, PLASTIC, LINED STEEL OR TIN CONTAINERS TO TRANSFER MATERIAL Other Precautions:NFPA BULLETIN 30 AND 77 Respiratory Protection: ALL PURPOSE CANISTER Ventilation:LOCAL, MECHANICAL, FLOOR AND LOW AREAS Protective Gloves: RUBBER Eve Protection:SAFETY GOGGLES Supplemental Safety and Health SOLVENT IS DENATURED ALCOHOL, TR590, DENATURED ALCOHOL HCC:F3 Boiling Pt:B.P. Text:176F,80C Vapor Pres:44 Vapor Density:1.6 Spec Gravity:0.9 Evaporation Rate & amp; Reference: 1.7, N-BUTYL ACETAT Appearance and Odor: VISCOUS LIQUID, NONRESIDUAL ODOR, COLOR MILKY WHIT Stability Indicator/Materials to Avoid :YES **OXIDIZING MATERIALS** Hazardous Decomposition Products:CARBON MONOXIDE

Waste Disposal Methods: MAY BE BURNED IN COMBUSTION CHAMBER BY ENGINEER

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and discl aims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.