View NSN Online: https://aerobasegroup.com/nsn/8040-01-081-3370

FURANE PRODUCTS COMPANY -- URALANE 5738B -- 8040-01-081-3370

Product ID:URALANE 5738B MSDS Date:01/01/1987

FSC:8040

NIIN:01-081-3370

Kit Part:Y

MSDS Number: BGKWR === Responsible Party ===

Company Name: FURANE PRODUCTS COMPANY

Emergency Phone Num: (818) 247-6210

CAGE:OO131

=== Contractor Identification ===

Company Name: CIBA SPECIALTY CHEMICALS CORP, N. A. / PERFORM

ANCE

POLYMERS

Address:5121 SAN FERNANDO RD WEST

Box:City:LOS ANGELES

State:CA

ZIP:90039-1011 Country:US

Phone:818-247-6210/800-873-1138

CAGE:99384

Company Name: FURANE PRODUCTS COMPANY

Phone:(201) 499-2401

CAGE:00131

======= Composition/Information on Ingredients ========

Ingred Name:1,1 BIS (2-AMINOPHENYLTHIO) METHANE

Fraction by Wt: 40%

Ingred Name: UREA/URETHANE PREPOLYMER OF TDI AND BIS-(AMINOPHENYLTHIO)

METHANES Fraction by Wt: 20%

Ingred Name: INORGANIC INERT FILLERS

Ingred Name:TRIORTHOCRESYL PHOSPHATE CAS:78-30-8
RTECS #:TD0350000
Fraction by Wt: 15% OSHA PEL:S, 0.1 MG/M3
ACGIH TLV:S, 0.1 MG/M3; 9192
=========== Hazards Identification ============
Effects of Overexposure:EYE:VERY IRR;SKIN:IRR;INH:POSSIBLY HARMFUL;ING:POSSIBLY HARMFUL.
======================================
First Aid:EYES/SKIN:FLUSH EYES W.A LG.AMT OF WTR FOR AT LEAST 15 MIN.GET PROMPT MED.ATTN.WASH SKIN THO ROUG.W.SOAP & WTR.REMOVE
CONTAM.CLOTH;ING:DRINK 2 GLASSES OF WTR.SEE DOCTOR.NEVER GIVE ANYTHING BY MOUTH IF UNCONSC.
======================================
Flash Point:93C,CC Extinguishing Media:CO*2,DRY CHEM,WTR SPRAY Fire Fighting Procedures:WEAR CHEMICAL PROTECTIVE SUIT WITH SELF CONTD BRTHG APP.
Unusual Fire/Explosion Hazard:NONE
========== Accidental Release Measures ===========
Spill Release Procedures:CLEAN UP ALL TRACES OF S
PILL.SHOVEL AS MUCH OF MTL AS POSSIBLE INTO CLN,DRY CONT;ON HARD SURFACES USE ABS.MTL TO PICK UP REMAINDER;ON LOSE SURFACES SHOVEL UP CONTAM.LAYER.
=========== Handling and Storage =============
Handling and Storage Precautions:STORE IN COOL,DRY WELL VENTED LOW FIRE RISK AREA. PROTECT FROM HEAT,SHOCK,FRICTION. KEEP CONTAINERS CLOSED.
Other Precautions:***AVOID ALL EYE/SKIN CONTACT***
====== Exposure Controls/Personal Protection ========
Resp

Fraction by Wt: 25%

iratory Protection:NONE REQD.W.GOOD VENTIL-IF TLV IS EXCEEDED USE NIOSH/MSHA APPVD RESP
Ventilation:NORMAL ROOM VENTILATION.
Protective Gloves:PLASTIC
Eye Protection:SAFETY GLASSES
Other Protective Equipment:SAFETY SHOWER & EYE BATH
Supplemental Safety and Health
MSDS DATED 11-20-84/ PART B OF 2 PART PROD/THIS IS NEW FORMULATION OF PART B/OLD FORMULATION IS UNDER P/N IND B KEY1:F8

========= Physical/Chemical Properties ==========

HCC:V4
Vapor Density:>1
Spec Gravity:
1.28
Evaporation Rate & Description Reference: