

MALTER INTERNATIONAL, BULK CHEMICAL DIVISION -- CARB-N-RID (AEROSOL) --
6850-01-085-1423

=====
Product Identification
=====

Product ID:CARB-N-RID (AEROSOL)

MSDS Date:01/01/1987

FSC:6850

NIIN:01-085-1423

MSDS Number: BGLBL

=== Responsible Party ===

Company Name:MALTER INTERNATIONAL, BULK CHEMICAL DIVISION

Address:80 FIRST STREET

City:GRETNA

State:LA

ZIP:70053-4721

Country:US

Info Phone Num:504-362

-3232

Emergency Phone Num:504-362-3232

CAGE:27978

=== Contractor Identification ===

Company Name:MALTER INTERNATIONAL BULK CHEMICAL DIVISION

Address:80 FIRST STREET

Box:City:GRETNA

State:LA

ZIP:70053

Country:US

Phone:504-362-3232, OR 800-535-4095

CAGE:27978

=====
Composition/Information on Ingredients
=====

Ingred Name:AROMATIC HYDROCARBON

Fraction by Wt: 27.0%

Other REC Limits:100 PPM

Ingred Name:KETONE

Fraction by Wt: 27.0%

Other REC Limits:50 PPM (MFR)

Ingred Name:CHLORI

NATED HYDROCARBON
Fraction by Wt: 14.0%
Other REC Limits:200 PPM

Ingred Name:CYCLIC AMIDE
Fraction by Wt: 7.55%
Other REC Limits:200 PPM

Ingred Name:PROPANE
CAS:74-98-6
RTECS #:TX2275000
OSHA PEL:1000 PPM
ACGIH TLV:ASPHYXIAN; 9192

Ingred Name:ISOBUTANE
CAS:75-28-5
RTECS #:TZ4300000

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:ACUTE:IRRITATING TO SKIN,EYES AND
RESPIRATORY TR
ACT;DIZZINESS,WEAKNESS,NAUSEA,HEADACHE.
CHRONIC:DEFATTING,DERMATITIS.

Effects of
Overexposure:SKIN:IRR,DEFATTING,DERMATITIS;INHALATION:DIZZINESS,WEA
KNESS,NAUSEA,HEADACHE.
Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE
WORSEN.

===== First Aid Measures =====

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG
DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH
W/SOAP & WATER. RMV CONTAM
CLTHG & SHOES. INGEST:DO NOT INDUCE
VOMIT. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

===== Fire Fighting Measures =====

Flash Point:N/R,AEROSOL
Extinguishing Media:WATER,CO*2,DRY CHEMICAL
Fire Fighting Procedures:WEAR SCBA W.FULL FACEPIECE OPERATED IN
PRESS.DEMAND.
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB LIQUID IN INERT MATERIAL AND TRANSFER
UNDER

