

ALLIED PRODUCTS CORP., ACME DIV. -- E-KOTE 3030 (NEW FORMULA-5/7/86) -- 8030-01-087-8653

=====
Product Identification
=====

Product ID:E-KOTE 3030 (NEW FORMULA-5/7/86)

MSDS Date:01/01/1987

FSC:8030

NIIN:01-087-8653

MSDS Number: BGLGM

=== Responsible Party ===

Company Name:ALLIED PRODUCTS CORP., ACME DIV.

Address:166 CHAPEL ST.

Box:1404

City:NEW HAVEN

State:CT

ZIP:06505

Country:US

CAGE:ACMED

=== C

Contractor Identification ===

Company Name:ALLIED PRODUCT CORP,ACME CHEMICAL & INSULATION DIV

Address:166 CHAPEL ST.

Box:1404

City:NEW HAVEN

State:CT

ZIP:06505

Country:US

CAGE:70103

Company Name:ALLIED PRODUCTS CORPORATION

Box:1404

City:NEW HAVEN

State:CT

ZIP:06505

Phone:(203) 562-2171

CAGE:ACMED

=====
Composition/Information on Ingredients
=====

Ingred Name:SILVER (SARA III)

CAS:7440-22-4

RTECS #:VW3500000

OSHA PEL:0.01 MG/M3

ACGIH TLV:0.1 MG/M3; 9192

EPA Rpt Qty:1 LB

DOT Rp

t Qty:1 LB

Ingred Name:PROPYLENE GLYCOL METHYL ETHER ACETATE (CAS #:108-65-6)

CAS:108-65-6

RTECS #:AI8925000

ACGIH TLV:NOT ESTAB (MFR)

Ingred Name:ACRYLIC RESIN

CAS:9003-01-4

RTECS #:AT4680000

ACGIH TLV:NOT ESTAB (MFR)

===== Hazards Identification =====

Effects of Overexposure:SKIN;PRLNG/RPTD

CONTACT-IRRIT/DERMATITIS,SENSITIZE/ALLERGIC RXN.SOLVNTS ABSORBED
THRU (SEE SUPP DATA)

===== First Aid Measures =====

Firs

t Aid:EYE:FLUSH W/LOTS H*20 @LEAST 15 MIN,GET IMMED MED

ATTN.SKIN:IMMED WASH W/MILD SOAP&H*20.INHAL:MOVE TO FRESH
AIR.SUPPORT BREATHING,GIVE O*2/ARTIFCL RESP.GET IMMED

ATTN.INGEST:DONT INDUCE VOMIT!IF VOMIT ,HEAD BEL HIPS-PREV LIQ IN
LUNG.GET IMMED MED ATTN

===== Fire Fighting Measures =====

Flash Point:108F,42.2C (SCC)

Lower Limits:1.5

Upper Limits:7.0

Extinguishing Media:ALCOHOL FOAM,DRY CHEMICAL,CO*2. DO NOT USE WATER.

Fire Fighting Procedur

es:SCBA&FULL PROTECTIVE GEAR IN CONFINED SPACE.

(SEE OTHR PREC)

Unusual Fire/Explosion Hazard:COMBUSTN&DECOMP PRODUCTS POSS TOXIC.VAPS
HEAVIER THAN AIR&MAY TRAVEL TO IGNITN SOURCE,(SEE OTHR PREC

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION & VENTILATE

AREA THOROUGHLY. COVER SPILL W/INERT ABSORBENT SUCH AS SAND,EARTH
OR VERMICULITE & REMOVE USING NON-SPARKING TOOLS. PERSONNEL SHOULD
OBSERVE PRE

CAUTIONS & USE PROTECTIVE EQUIPMENT.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN TIGHT CLOSED CNTNR IN COOL, DRY, WELL-VENT AREA. DONT INHAL VAP/MIST. AVOID CONT W/EYE, SKIN, CLOTHES. HARMFUL IF SWALLOW. VAPS MAY CAUSE FLASH FIRES
Other Precautions:FLAMMABLE. WASH WELL AFTHANDLE&BEFORE EAT, DRINK, SMOKE, USE TOILET. WASH CONTAM CLOTHES BEFORE REUSE. FIRE FIGHT:COOL FIRE EXPOS CNTNR W/H*20 SPRAY. FIRE&EXPLO HAZ:THEN FLASH
BACKTO CNTNR/SPILL.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN.
Ventilation:THOROUGH GENERAL MECHANICAL VENT & LOCAL EXHAUST REQUIRED.
Protective Gloves:NEOPRENE/BU RUB
Eye Protection:CHEMICAL WORKERS GOGGLES
Other Protective Equipment:LAB COAT OR COVERALLS, EYE WASH STATION, SAFETY SHOWER, SINK.
Supplemental Safety and Health
INTACT SKIN: EYE: IRRIT, TISS DAMAGE. VAP IRRIT EYE, NOSE, THROAT, RPTD
OVEREXP-UP RESP TRACT IRRIT. RPTD SOLVNT OVEREXP, ANY ROUTE-VAP INHAL, SKIN ABSORP-POSS LIVER/KIDNEY DAMAGE, OTHR TARGET ORGAN EFFT. KEY1:F4 .

===== Physical/Chemical Properties =====

HCC:F4
Boiling Pt:B.P. Text:295F, 146.1C
Vapor Pres:3.7
Vapor Density:>1
Spec Gravity:1.8
Evaporation Rate & Reference: