

MALLINCKRODT INC.,SCIENCE PRODUCT DIVISION -- AMMONIUM NITRATE -- 6810-01-091-8676

=====
Product Identification
=====

Product ID:AMMONIUM NITRATE

MSDS Date:01/01/1987

FSC:6810

NIIN:01-091-8676

MSDS Number: BGLMQ

=== Responsible Party ===

Company Name:MALLINCKRODT INC.,SCIENCE PRODUCT DIVISION

Address:PARIS BYPASS

Box:M

City:PARIS

State:KY

ZIP:40361

Country:US

Info Phone Num:314-982-5000

Emergency

Phone Num:314-982-5000

CAGE:62910

=== Contractor Identification ===

Company Name:MALLINCKRODT SPECIALTY CHEMICALS CO

Address:222 RED SCHOOL LANE

Box:City:PHILLIPSBURG

State:NJ

ZIP:08865

Country:US

Phone:908-859-2151

CAGE:62910

=====
Composition/Information on Ingredients
=====

Ingred Name:AMMONIUM NITRATE (SOLUTION) (SARA III)

CAS:6484-52-2

RTECS #:BR9050000

Fraction by Wt: 100%

=====
Hazards Identification
=====

Effects of Overexposure:l

NH:MAY IRRIT MUC MEMBRANE;ING:MAY CAUSE
DIZZ,BLOODY DIARRHEA;EYE/SKIN:MAY IRRIT,REDNESS,PAIN,ETC.

=====
First Aid Measures
=====

First Aid:INHAL:RMV TO FRESH AIR.GET MD FOR BREATHG
DIFFICULTY;INGEST:IMMED INDUCE VOMIT BY GIVING 2 GL OF
WATER/MILK.NOTHING BY MOUTH IF UNCONSCIOUS.GET MD IMMED;SKIN:WASH
W/SOAP & WATER.GET MD IF IRRIT OCCURS ;EYES:FLUSH W/H*20 FOR 15
MIN.GET MED ATTN IMMED.

=====
Fire Fighting Measures
=====

Flash Point:NONE
Extinguishing Media:EXTINGUISH W. AGENT SUITABLE FOR SURROUNDING FIRE.
Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H*20 SPRAY TO COOL
CONTR.
Unusual Fire/Explosion Hazard:CONTACT W/OXIDIZABLE SUBSTANCES MAY CAUSE
EXTREMELY VIOLENT COMBUSTION.MAY SUPPORT COMBUSTN IN FIRE.

=====
Accidental Release Measures
=====

Spill Release Procedures:USE APPROP PROTCTV EQUIP.RMV IGNITION/HEAT
SOURCES.SWEEP OR SCOOP UP & TRANSF
R TO A CLOSD(METAL) CONTNR FOR
RECLAMATION/DISPOSAL/ALTRNTVLY,SWEEP SPILL INTO A CONTNR & DISSOLV
IN LG AMT OF H*2O.ADD SOD A ASH.MIX & NEUTRLZ W/6M-HCL.KEEP SLUDGE
IN CNTNR.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP IN TIGHTLY CLOSED CONTNRS AT
COOL,DRY,VENTILATED PLACE.PROTECT AGAINST PHY DAMAGE.DO NOT STORE
ABOVE 130F.SEPARATE FM ORGANIC/OXIDIZABLE MATERIAL
Other Precautions:AVOID BREATHING DUST.USE W/ADEQUA
TE VENTILATION.KEEP
CONTAINRS CLOSED.WASH THOROUGHLY AFTER HANDLING.AVOID SKIN,EYES &
CLOTHING CONTACT,DANGER! STRONG OXIDZR.CONTCT W/OTHR MATL MAY CAUSE
FIRE.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:SUPPLIED AIR RESPIR/SCBA; ESCAPE: GAS MASK
Ventilation:LOCAL EXHAUST TO MAINTN BELOW TLV.
Protective Gloves:IMPERVIOUS
Eye Protection:GOGGLES/FACE SHIELD
Other Protective Equipment:FULL PROTECTIVE CLOTHING,SAFETY SHOWER,EYE
WASH ST

ATION
Supplemental Safety and Health
MSDS FROM MFR DATED:08-09-85 CONFORMS WITH OSHA HAZ COMM STD.AMM
NITRATE DECOMPOSES @ 210C(410F);CLASS 3 ITEM OF MIL-A-175.

===== Physical/Chemical Properties =====

HCC:D1
Spec Gravity:1.7
Solubility in Water:COMPLETE
Appearance and Odor:ODORLESS,COLORLESS CRYSTALS.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
REDUCRS,MANY METAL & THEIR SALTS,ACETIC ACID,CORR
MATL,KCLO3
Hazardous Decomposition Products:EMITS NITRIC OXIDE FUMES ON DECOMP
PT;MAY GIVE NH*3 W/ALKALI

===== Disposal Considerations =====

Waste Disposal Methods:COLLECTED WASTE AND/OR NEUTRALIZED SLUDGE IN
CLOSED,PREFERABLY METAL CONTAINERS MAY BE SENT TO AN RCRA APPROVED
WASTE DISPOSAL FACILITY.ENSURE COMPLIANCE W/LOCAL,STATE & FEDERAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is
formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.