

MCB MANUFACTURING CHEMISTS,MFR;CHEM COMMOD,DIST. -- O-C-265,CALCIUM  
CARBONATE,ACS -- 6810-01-097-4735

=====  
Product Identification  
=====

Product ID:O-C-265,CALCIUM CARBONATE,ACS

MSDS Date:01/01/1985

FSC:6810

NIIN:01-097-4735

MSDS Number: BGLQZ

=== Responsible Party ===

Company Name:MCB MANUFACTURING CHEMISTS,MFR;CHEM COMMOD,DIST.

Emergency Phone Num:513-631-0445

CAGE:DO964

=== Contractor Identifi  
cation ===

Company Name:MCB MANUFACTURING CHEMISTS

Address:2909 HIGHLAND AVE

Box:City:CINCINNATI

State:OH

ZIP:45212-2411

Country:US

CAGE:DO964

Company Name:MCB MFG CHEMISTS INC

Address:2909 HIGHLAND AVE

Box:City:CINCINNATI

State:OH

ZIP:45212-2411

Country:US

CAGE:24150

=====  
Composition/Information on Ingredients  
=====

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS:1317-65-3

RTECS #:EV9580000

Fraction by Wt: 100%

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9192

=====  
Hazards Identification  
=====

Effects of Overexposure:NONE NOTED BY MFR. LOW TOXICITY & LOW HAZARD TO HEALTH.

=====  
First Aid Measures  
=====

First Aid:SKIN:WASH WITH SOAP AND WATER. EYES: FLUSH WITH WATER.  
INHALED: REMOVE TO FRESH AIR. REMOVE CONTAMINATED CLOTHING.

=====  
Fire Fighting Measures  
=====

Extinguishing Media:EXTINGUISH W. AGENT SUITABLE FOR SURROUNDING FIRE.  
Fire  
Fighting Procedures:WEAR SELF-CNTND BRTHG APP IF INVOLVED IN FIRE.  
Unusual Fire/Explosion Hazard:NONE NOTED BY MANUFACTURER.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:EVACUATE UNPROTECTED PERSONS. STOP LEAK. H\*2O  
SPRAY TO COOL CONT/DIVERT SPILL FROM FIRE/HEAT. PROVIDE  
VENTILATION. ABSORB W COMMERCIAL ABSORBENT, SHOVEL INTO METAL DRUMS.  
LG SPILL:DIKE W COMMERCIAL ABS ORBENT, PUMP INTO COVERED DRUMS.

=====  
Handling  
and Storage  
=====

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED  
AREA. PROTECT FROM PHYSICAL DAMAGE. KEEP CONTAINERS CLOSED. MAINTAIN  
STANDARD HYGIENE FOR CHEM HANDLING.  
Other Precautions:NONE

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NONE SHOULD BE NEEDED  
Ventilation:NO SPECIAL REQUIREMENTS W ADEQUATE VENT.  
Protective Gloves:HEAVY WORK GLOV  
Eye Protection:SAFETY GLASSES  
Other Protective Equipment:NO  
RMAL WORK CLOTHING COVERING ARMS & LEGS.  
Supplemental Safety and Health

=====  
Physical/Chemical Properties  
=====

HCC:N1  
Boiling Pt:B.P. Text:>1472F/800C  
Spec Gravity:2.8  
Evaporation Rate & Reference:N/A(SOLID)  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:ODORLESS CRYSTALS.

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES  
NONE  
Stability Condition to Avoid:NONE  
Hazardous Decomposition Products:N

ONE NOTED.

===== Disposal Considerations =====

Waste Disposal Methods:SM & LG SPILL:DEPOSIT IN A POSTED TOXIC  
SUBSTANCE LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL  
REGULATIONS USE AS FILL IN RECLAIMING LOW AREAS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, wa  
rrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.