

CHEMTRONICS,INC. -- DECON TRAINING & REFILL KITS -- 6910-01-101-1768

=====
Product Identification
=====

Product ID:DECON TRAINING & REFILL KITS

MSDS Date:01/01/1987

FSC:6910

NIIN:01-101-1768

MSDS Number: BGLVV

=== Responsible Party ===

Company Name:CHEMTRONICS,INC.

Address:180 OLD BEE TREE RD

City:SWANNANOA

State:NC

ZIP:28778-3409

Country:US

Emergency Phone Num:NONE

CAGE:EO089

=== Contractor Iden

tification ===

Company Name:CHEMTRONICS INC

Address:180 OLD BEE TREE RD

Box:City:SWANNANOA

State:NC

ZIP:28778-3409

Country:US

Phone:NOT LISTED IN PHONE DIRECTORY

CAGE:60737

Company Name:CHEMTRONICS,INC.

Address:681 OLD WILLETS PATH

Box:City:HAUPPAUGE

State:NY

ZIP:11787

Country:US

Phone:800-645-5244

CAGE:EO089

=====
Composition/Information on Ingredients
=====

Ingred Name:ISOPROPYL ALCOHOL (SARA III)

CAS:67-63-0

RTECS #:NT8050000

Fraction by Wt: 50.0%

Other REC Limits:NONE REC

RECOMMENDED
OSHA PEL:400 PPM/500 STEL
ACGIH TLV:400 PPM/500STEL;9394

Ingredient Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 50.0%
Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

Effects of Overexposure:INHAL:IRRIT OF RESP
TRACT,DIZZ,WEAKNESS,FATI,NAUSEA HEAD;SKIN:IRRITATION;EYES:IRRIT,B
VISION;INGT:GI

=====
First Aid Measures
=====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 I
F
NEED;EYES/SKIN:FLUSH W LG AMTS H*20 FOR 15 MIN;INGEST:RINSE MOUTH;
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER
SYMPTOMS OF OVEREXPOSURE.

=====
Fire Fighting Measures
=====

Flash Point:53F/11.7C (NO REF)
Lower Limits:2.5
Extinguishing Media:CO, DRY CHEMICAL, FOAM
Fire Fighting Procedures:USE WATER TO COOL CONTRS AND NIOSH APPROVED
SCBA IN ECLOSED
Unusual Fire/Explosion Hazard:NONE KNOWN

=====
Accidental Release Me
asures
=====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION:REMOVE SOURCES
OF IGNITION;USE SUITABLE ABSORBENT MATERIAL AND RECOVER FOR PROPER
DISPOSAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN COOL DRY AND WELL VENTILATED
AREA.DO NOT STORE WITH OXIDIZER OR IN AREA OF HIGH HEAT. KEEP
CONTAINER CLOSED WHEN NOT IN USE.
Other Precautions:AVOID CONTACT WITH SKIN AND EYES.DO NOT INHALE
VA

PORS.KEEP AWAY FROM HEAT, OPEN FLAMES.WASH AFTER EACH USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORG
VAPORS IF ABOVE TLV.

Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN