View NSN Online: https://aerobasegroup.com/nsn/9150-01-102-9455

Product ID:SBF 1001 (BRAKE FLUID) MSDS Date:01/01/1987 FSC:9150 NIIN:01-102-9455 MSDS Number: BGLXL === Responsible Party === Company Name: GENERAL ELECTRIC CO (MFR) PHIPPS PRODUCTS CORP(DIST Emergency Phone Num:(518)237-3330 CAGE:01139 === Contractor Identification == Company Name: GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT Address:260 HUDSON RIVER RD Box:City:WATERFORD State:NY ZIP:12188 Country:US Phone:518-237-3330/800-332-3390 CAGE:01139 Ingred Name: UNIDENTIFIED COMPONENTS Effects of Overexposure: INHALATION OF MIST MAY IRRITATE BREATHING PASSAGES.MAY ALSO IRRITATE SKIN OR EYES ON CONTACT. _____ First Aid:EYE CONTACT:FLUSH WITH WATER FOR 15 MINUTES OR CALL PHYSICIAN IF NEEDED.SKIN CONTACT:WASH WITH SOAP AND WATER.IF INHALED, REMOVE TO FRESH AIR.IN CASE OF INGESTION, CALL A PHYSICIAN.

Flash Point:400F/204C (PMCC Extinguishing Media:DRY CHEMICAL,CO*2,FOAM. Fire Fighting Procedures:USE SCBA FOR FIREFIGHTING PURPOSE. Unusual Fire/Explosion Hazard:ON COMBUS

TION WILL PRODUCE CO,CO*2,SIO*2,FORMALDEHYDE.

Spill Release Procedures:WIPE UP SPILLED MATERIAL AND PUT IN A CONTAINER FOR DISPOSAL.WASH WALKING SURFACES WITH DETERGENT AND WATER TO REDUCE SLIPPING HAZARD.

Handling and Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE.KEEP FLUID CLEAN.DO NOT CONTAMINATE WITH DIRT,WATER OR PETROLEU
M PRODUCTS. DO NOT REFILL CONTAINER.
Other Precautions:AVOID SKIN AND EYE CONTACT.

Respiratory Protection:NONE SHOULD BE NEEDED Ventilation:NORMAL ROOM VENTILATION. Protective Gloves:IMPERVIOUS Eye Protection:SAFETY GLASSES Other Protective Equipment:AS REQUIRED TO PREVENT PROLONGED CONTACT. Supplemental Safety and Health MSDS REVISED DATED:10/21/85

HCC:V6 Boiling Pt:B.P. Text:>560F/283C Vapor Pres:NEG Vapor Density:NEGL Spec Gravity:0.997 Evaporation Rate & amp; Reference:NEGLIGIBLE Solubility in Water:NEGLIGIBLE Appearance and Odor:LIQUID,PURPLE COLOR,MUSTY ODOR Percent Volatiles by Volume: