

CLICK BOND -- PATCH KIT KA1-E1-CP-125-000-005-A1A1 PART A -- 8040-01-107-3981

=====
Product Identification
=====

Product ID:PATCH KIT KA1-E1-CP-125-000-005-A1A1 PART A

MSDS Date:09/16/1987

FSC:8040

NIIN:01-107-3981

Kit Part:Y

MSDS Number: BGMDZ

=== Responsible Party ===

Company Name:CLICK BOND

Address:2151 LOCKHEED WAY

City:CARSON CITY

State:NV

ZIP:89706-0713

Country:US

Info Phone Num:702-885-800

0

Emergency Phone Num:702-885-8000

Preparer's Name:CHARLES HUTTER III

CAGE:MO937

=== Contractor Identification ===

Company Name:CLICK BOND

Address:2151 LOCKHEED WAY

City:CARSON CITY

State:NV

ZIP:89706-0713

Country:US

Phone:775-885-8000

CAGE:MO937

Company Name:CLICK BOND DIV OF PHYSICAL SYSTEMS INC

Address:2151 LOCKHEED WAY

Box:City:CARSON CITY

State:NV

ZIP:89701-0713

Country:US

Phone:775-885-8000

CAGE:66530

=====
Composition/Information on Ingredients
=====

Ingred Name:(NO HA

ZARDOUS INGREDIENTS)
RTECS #:9999999ZZ

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:NA
Effects of Overexposure:INGEST: LOW DOSES SLIGHTLY TOXIC; SKIN:
MODERATE IRRITATION; EYE: CAN CAUSE MODERATE IRRITATION, SEVERE
INJURY DAMAGE REVERSIBLE; INHAL: VAPOR COULD CAUSE
HEADACHES,NAUSEA,RESPIRATORY IRRITATION.

===== First Aid Measures =====
=====

First Aid:INHALATION: REMOVE TO FRESH AIR, GIVE OXYGEN IF PROBLEM
BREATHING. SKIN: WIPE OFF EXCESS, WASH WITH SOAP AND
WATER. EYE: FLUSH W/WATER FOR 15
MINUTES LIFTIN G UPPER/LOWER LIDS.INGESTION: DO NOT INDUCE
VOMITING, DRINK LG. AMOUNTS OF WATER OR MILK. CALL FOR
MEDICAL ATTENTION IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point:315F / 157C
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:DRY CHEMICAL
, FOAM, CARBON DIOXIDE/MONOXIDE, WATER
SPRAY
Fire Fighting Procedures:IN CONFINED SPACE USE FULL BUNKER GEAR (HLMT
W/FACESHIELD,BUNKER COATS,GLOVES, RUBBER BOOTS),USE POSITIVE PRESS
SELF CONTND BREATHING APPARATUS. COOL W/WATER.
Unusual Fire/Explosion Hazard:NA

===== Accidental Release Measures =====

Spill Release Procedures:AVOID PERSONAL CONTACT, CONTAIN SPILL IF
POSSIBLE.WIPE UP OR ABSORB ON SUITABLE MATERIAL & SHOVEL UP.
CLEAN UP WITH SUIT

ABLE VENTILATION.

=====
===== Handling and Storage =====

Handling and Storage Precautions:MIX WELL. STORE IN A COOL DRY PLACE
Other Precautions:NA

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:WARMED OR HEATED RESIN MAY PRODUCE VAPORS OR
MIST. USE NIOSH APPROVED RESPIRATORUSE ATMOSPHERE SUPPLYING
RESPIRATOR, OR AIR PURIFYING RESPIRATOR FOR ORGANIC VAPORS.

Ventilation:LOCAL EXHAUST RECOMMENDED

Protective Glov

es:NITRIDE/RUBBER/IMPERVIOUS MATERIAL

Eye Protection:SAFETY GLASSES W/SIDESHLD,CHEML GOGGLES

Other Protective Equipment:CHEMICAL RESISTANT APRON

Work Hygienic Practices:NA

Supplemental Safety and Health

NA

=====
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:NA

Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:NA

Vapor Pres:NA

Vapor Density:NA

Spec Gravity:1.20

pH:NA

Viscosity:55000

Evaporation Rate & Reference:NA

Solubility in Water:SLIGHT

Appear

ance and Odor:DARK AMBER

Percent Volatiles by Volume:NA

Corrosion Rate:NA

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NA

Stability Condition to Avoid:OXIDIZING AGENTS,STRG LEWIS ACIDS,STRG
MINERAL ACIDS,HEAT, CURING AGENTS,STRONG ACIDS, AMINES, &
MERCAPTANS

Hazardous Decomposition Products:ALDEHYDES, ACIDS, CARBON DIOXIDE,
CARBON MONOXIDE

=====
===== Disposal Considerations =====

Waste Di

Disposal Methods: CONTROLLED INCINERATION OR BURY IN LEGAL
LANDFILL. COMPLY WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.