

CHEMTRONICS,INC. -- LEWISITE TABLET -- 6665-01-112-1644

=====  
Product Identification  
=====

Product ID:LEWISITE TABLET

MSDS Date:01/01/1987

FSC:6665

NIIN:01-112-1644

MSDS Number: BGMHJ

=== Responsible Party ===

Company Name:CHEMTRONICS,INC.

Emergency Phone Num:704 298 7941

CAGE:EO089

=== Contractor Identification ===

Company Name:CHEMTRONICS INC.

CAGE:0CG91

Company Name:CHEMTRONICS,INC.

Address:68

1 OLD WILLETS PATH

Box:City:HAUPPAUGE

State:NY

ZIP:11787

Country:US

Phone:800-645-5244

CAGE:EO089

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ZINC OXIDE

CAS:1314-13-2

RTECS #:ZH4810000

Fraction by Wt: 20%.

OSHA PEL:15MG/M3 TDUST/5 FUME

ACGIH TLV:10MG/M3 TDUST; 9293

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

Fraction by Wt: 20%.

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:AMORPHOUS SILICA

Fraction by Wt: 20%.

ACGIH

TLV:1.5MG/CUM

Ingred Name:CELLULOSE  
Fraction by Wt: 25.4%

Ingred Name:4,4-BISDIMETHYLAMINOTHIOBENZPOPHENONE  
Fraction by Wt: 5%.

=====  
Hazards Identification  
=====

Effects of Overexposure:NOT KNOWN.EXERCISE CARE IN LIMITING ALL SOURCES OF CONTACT.

=====  
First Aid Measures  
=====

First Aid:EYE:FLUSH W/WTR FOR 15 MIN:SKIN:WASH W/SOAP & WTR;INH\*MOVE TO FRESH AIR,IF NOT BRETHNG,GIVE CPR;ING:GIVE 2 GLASSES OF WTR & INDUCE VOMIT.SEEK MEDICAL ATTN.

=====  
Fire Fighting Measures  
=====

Flash Point:NONE  
Extinguishing Media:CO\*2,DRY CHEM,WTR MAY BE USED ON SURROUND FIRE WHERE APPROP.  
Fire Fighting Procedures:TOXIC VAPORS MAY BE EMITTED UNDER FIRE CONDITIONS.  
Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:VENITLATE SPILL AREA.AVOID BREATHNG DUST OR PARTICLES FROM CRUSHD OR DAMAGD TA BLETS.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:NO PROBLEMS IN HANDLING CONSIDERING WT OF EACH TABLET & ITS INCLUSION IN A SEALED PLASITIC BODY.  
Other Precautions:NONE OF THE 8 TABLET COMP.ARE REGARDED AS PARTICULAR HAZ.AVOID CREATING A DUST CLOUD FROM DAMAGD TABS.WEAR APPVD RESP.WHERE DUST IS PRESENT.AVOID CONTACT W/SKIN.DO NOT INGEST.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Prote

ction:NIOSH APPVD RESP.FOR AIRBORNE PARTICULATE MATTER  
OR DUST

Ventilation:NONE NECESS.EXCEPT WHERE DUST FROM DAMAGED TABLETS EXIST.

Protective Gloves:RUBBER

Eye Protection:SFTY GLASSES OR GOGGLES

Other Protective Equipment:COVERALLS TO BE LAUNDERED ONCE DAILY.

Supplemental Safety and Health

MSDS DATED 04/25/86/SEE ADDL DATA IN TRANSP.SECT.FOR

PROD.LOCATION/KEY1:HO1/OTHER INGRED:BALL CLAY 4.6%:STEARIC ACID 3%  
AM10CA STARCH 1%/ . KEY1:N1.

===== Physical/Chemical Properti  
es =====

HCC:F2

Spec Gravity:>1.

Appearance and Odor:MEDIUM TAN COLORED TABLET

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:STABLE EXCEPT UNDER FIRE CONDITIONS.

Hazardous Decomposition Products:POSSIBLE SUFLUR OXIDE IN HIGH HEAT OR  
FLAME,CO,CO\*2

===== Disposal Considerations =====

Waste Disposal Methods:MAY BE BURIED IN APPVD LANDFILL OBSERVING

OBSERVING LOCAL,STATE & FED REGS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this info  
rmation to their  
particular situation.