

STAUFFER CHEMICAL COMPANY -- FYRQUEL 220-MLT -- 9150-01-113-2045

=====
Product Identification
=====

Product ID:FYRQUEL 220-MLT

MSDS Date:01/01/1987

FSC:9150

NIIN:01-113-2045

MSDS Number: BGMJP

=== Responsible Party ===

Company Name:STAUFFER CHEMICAL COMPANY

Emergency Phone Num:(203) 226-6602

CAGE:8F554

=== Contractor Identification ===

Company Name:STAUFFER CHEMICAL CO SPECIALTY CHEMICAL DIVISION

Address:NYALA FARMS RD

Box:City:WESTPORT

State:CT

ZIP:06880

Country:US

Phone:203-226-6602/CHEMTREC 800-424-9300

CAGE:8F554

=====
Composition/Information on Ingredients
=====

Ingred Name:BUTYLATED TRIPHENYL PHOSPHATE ESTERS (MIXED ISOMERS)

Ingred Name:TRIPHENYL PHOSPHATE

CAS:115-86-6

RTECS #:TC8400000

OSHA PEL:3 MG/M3

ACGIH TLV:3 MG/M3; 9192

Ingred Name:ADDITIVES, TYPE NOT SPECIFIED - LESS THAN 1%.

=====
Hazards Identification
=====

Effec

ts of Overexposure:RESP.IRRITANT; DYSYPNEA, PULMONARY EDEMA; SIN & EYE IRRIT; POSSIBLE CHOLINESTERASE INHIBITION (RBC)

=====
First Aid Measures
=====

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH W/SOAP&WATER. RMV CONTAM CLTHG&SHOES. INGEST:INDUCE VOMIT. RPT UNTIL VOMIT IS C LEAR. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

=====
Fire Fighting Measures
=====

Flash Point:475F, 246C (COC)
Extinguishing Media:CO*2, DRY CHEMICAL,FOAM, WATER. TO REMOVE FLAME SOURCE.
Fire Fighting Procedures:WEAR FULL-FACE SELF-CONTAINED BREATHING APP.IMPERV. CLOTHING
Unusual Fire/Explosion Hazard:FLUID MAY SUPPORT COMBUSTION & DECOMP YIELDING TOXIC PRODUCTS (EG: PHOSPHORUS OXIDES)

=====
Accidental Release Measures
=====

Spill Release Procedures:VENTILATE AREA. WEARPROTECTIVE CLOTHING TO P REVENT SKIN & EYE CONTACT. SOAK UP LIQ.W/SUITABLE ABSORBENT MATL (EG: SAWDUST, CLAY,VERMICULITE). SWEEP MATL & PLACE IN SEALED STEEL CONTAINER. LARGE SPILLS SHOULD BE DYKED & PUMPED TO SALVAGE.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN COOL, DRY, WELL-VENTILATED AREAS AWAY FROM FLAMMABLE MATLS, HEAT/FLAME SOURCES & FOODSTUFFS. CARBON STEEL IS PREFERRED MATL FOR CONTAIERS.
Other Precautions:EXPOSURE MAY CAUSE C HOLINESTERASE INHIBITION.
ATROPINE IV IS ANTIDOTAL. Z-PAM IS ALSO ANTIDOTAL WHEN ADMINISTERED EARLY & IN CONJUNCTION WITH ATROPINE.// FLUID MAY SOFTEN SOME PLASTICS.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NIOSH/MSHA APPROVED RESP SELECTED FOR POT.EXPOSURES & USE CONDITIONS
Ventilation:RECOMMENDED ESP IF USE CONDITIONS GENERATE AEROSOLS/VAPORS.
Protective Gloves:RECOMMENDED
Eye Protection:SPLASH-PROOF GOGGLES
Other Protective Eq

Equipment: APRONS, FOOTWEAR SELECTED W/REGARD TO EXPOSURE POTENTIAL.

Supplemental Safety and Health

UPDATE PER NON-OSHA HCS MSDS DTD OCT84

===== Physical/Chemical Properties =====

HCC:V6

Vapor Pres:0.1

Spec Gravity:1.15

Solubility in Water:NEGLIGIBLE

Appearance and Odor:COLORLESS, CLEAR LIQUID WITH ESSENTIALLY NO ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

MOISTURE, ACIDIC OR ALKALINE CONDITIONS. VERY HIGH TEMPS.

Stability Condition to Avoid:TEMP >150F & MOISTURE COMBINE TO CAUSE SLOW HYDROLYSIS.

Hazardous Decomposition Products:PHENOL, ALKYL PHENOLS, ARYL PHOSPHORIC ACIDS WHEN HYDROLYZED.

Conditions to Avoid Polymerization:IN ABSENCE OF MOISTURE, FLUID REMAINS STABLE TO HIGH TEMPS.

===== Disposal Considerations =====

Waste Disposal Methods:FOLLOW FED, STATE & LOCAL REGULATIONS. MFR RECOMMENDS DISPOSAL OF SEALED CONTAINERS IN AN APPROVED LANDFILL,

INCINERATION BY A LICENSED OPERATOR W/ APPROPRIATE POLLUTION CONTROLS, OR SALVAGE & RECLAMATION IF QUANTITY JUSTIFIES. RECLAMATIONPREFERRED.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.