

ROYAL LUBRICANTS COMPANY,INC. -- ROYCO 48 -- 9150-01-117-2928

=====
Product Identification
=====

Product ID:ROYCO 48

MSDS Date:01/01/1987

FSC:9150

NIIN:01-117-2928

MSDS Number: BGMMV

=== Responsible Party ===

Company Name:ROYAL LUBRICANTS COMPANY,INC.

Emergency Phone Num:201 887 3100

CAGE:07950

=== Contractor Identification ===

Company Name:ROYAL LUBRICANTS COMPANY INC.

Address:215 MERRY LN

Box:5

18

City:EAST HANOVER

State:NJ

ZIP:07936

Country:US

Phone:973-887-7411/7410

CAGE:07950

=====
Composition/Information on Ingredients
=====

Ingred Name:GREASE (SYNTHETIC-CLAY)

Fraction by Wt: >99%

ACGIH TLV:NOT SPECIFIED

=====
Hazards Identification
=====

Effects of Overexposure:NONE NOTED BY THE MFR.MAY IRRITATE EYES AND SKIN;PROLONGED CONTACT TO SKIN MAY CAUSE DRYNESS/DERMITI

=====
First Aid Measures
=====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF NEED;EYES/SKIN:FLUSH W LG AMTS H*2O FOR 15 MIN;INGEST:RINSE MOUTH; GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER SYMPTOMS OF OVEREXPOSURE.

=====
Fire Fighting Measures
=====

Flash Point:450F/232C

Extinguishing Media:CO*2,DRY CHEMICAL CAL.

Fire Fighting Procedures:DO NOT USE WATER JET;USE NIOSH APPROVED SCBA WITH FULL PROTE

Unusual Fire/Explosion Hazard:NONE NOTED;US

E REASONABLE CARE, COMBUSTIBLE MATERIAL.

===== Accidental Release Measures =====

Spill Release Procedures: USE PROPER PERSONAL PROTECTION; USE DRY SAND OR MINERAL ABSORBENT AND RECOVER FOR PROPER DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions: STORE IN COOL DRY AND VENTILATED AREA. KEEP AWAY FROM HEAT AND TIGHTLY CLOSED WHEN NOT IN USE.
Other Precautions: AVOID CONTACT WITH SKIN AND EYES. WASH THOROUGHLY AFTER EACH USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS/ADEQUATE VENT.
Ventilation: NO SPECIAL REQUIREMENTS WITH ADEQUATE VENT.
Protective Gloves: IMPERVIOUS
Eye Protection: GOGGLES
Other Protective Equipment: FULL WORK CLOTHING TO PREVENT REPEATED OR PROLONGED CONTACT.
Supplemental Safety and Health
MSDS UNDATED

===== Physical/Chemical Properties =====

HC
C: V6
Boiling Pt: B.P. Text: 650/343C
Solubility in Water: NEGLIGIBLE
Appearance and Odor: GREASE, TAN

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES
NONE NOTED; AVOID STRONG OXIDIZERS
Stability Condition to Avoid: HEAT, OPEN FLAMES.
Hazardous Decomposition Products: NONE NOTED

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL STATE & FEDERAL

REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.