

MAGNAFLUX CORPORATION -- ZR-10B REMOVER -- 6850-01-121-0948

=====  
Product Identification  
=====

Product ID:ZR-10B REMOVER

MSDS Date:04/30/1990

FSC:6850

NIIN:01-121-0948

MSDS Number: BGMTW

=== Responsible Party ===

Company Name:MAGNAFLUX CORPORATION

Address:7300 W LAWRENCE AVE

City:CHICAGO

State:IL

ZIP:60656-3504

Country:US

Info Phone Num:312-867-8000

Emergency Phone Num:312-867-8000

Preparer's Nam

e:BRUCE C. GRAHAM

CAGE:37676

=== Contractor Identification ===

Company Name:ILLINOIS TOOL WORKS INC MAGNAFLUX DIV

Address:3624 WEST LAKE AVENUE

Box:City:GLENVIEW

State:IL

ZIP:60025

Country:US

Phone:847-657-5300/

CAGE:37676

=====  
Composition/Information on Ingredients  
=====

Ingred Name:HEXYLENE GLYCOL

CAS:107-41-5

RTECS #:SA0810000

Fraction by Wt: 65.0%

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:Y

ES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN AND EYE: IRRITATION.

Effects of Overexposure:INHALATION: DIZZINESS, NAUSEA. INGESTION:  
POSSIBLE GASTRIC UPSET.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. SKIN: USE SOOTHING LOTION.  
EYES: RINSE COPIOUSLY WITH WATER. INGESTION: SEE PHYSICIAN IF  
SEVERE.

=====  
===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:200F, MINIMUM

Extinguishing Media:CARBON DIOXIDE,FOAM,WATER

Fire Fighting Procedures:KEEP CONTAINERS COOL WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:WHEN INVOLVE IN COMBUSTION,MAY EMIT TOXIC  
GASES AT OR ABOVE DECOMPOSITION TEMPERATURE.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:MOP UP SPILLS OR LEAKS AND PLACE IN SUITABLE  
CONTA  
INER.

Neutralizing Agent:NONE

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL AREA.

Other Precautions:NONE

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:RESPIRATOR WITH CHEMICAL CARTRIDGE IF SPRAYING  
IN POORLY VENTILATED AREA.

Ventilation:GENERAL MECHANICAL VENTILATION.

Protective Gloves:NITRILE RUBBER GLOVES.

Eye Protection:FULL GOGGLES

Other Protective Equipment:USE IN SPRA

Y BOOTH OR WHERE VENTILATION IS

ADEQUATE TO CARRY OVER SPRAY FROM OCCUPIED AREAS.

Work Hygienic Practices:WASH HANDS AFTER HANDLING THIS MATERIAL.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:400F,204C

Vapor Pres:0.3 MM HG

Vapor Density:>1

Spec Gravity:0.9

pH:7

Evaporation Rate & Reference:NEGLIGIBLE

Solubility in Water:100%

Appearance and Odor:PINK OILY LIQUID.

===== Stability and Rea  
ctivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:HEAT,HIGH TEMPERATURES

Hazardous Decomposition Products:OXIDES OF CARBON, SOOT OR SMOKE.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR SEND TO WASTE DISPOSER WHO CAN  
INCINERATE IT.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by e

lements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.