View NSN Online: https://aerobasegroup.com/nsn/6850-01-121-0953

SHERWIN INCORPORATED -- D113A DEVELOPER -- 6850-01-121-0953

============ Product Identification =============

Product ID:D113A DEVELOPER

MSDS Date:01/01/1987

FSC:6850

NIIN:01-121-0953

MSDS Number: BGMVM === Responsible Party ===

Company Name: SHERWIN INCORPORATED

Address:5530 BORWICK AVE

City:SOUTH GATE

State:CA

ZIP:90280-7402 Country:US

Info Phone Num:213-861-6324

Emergency Phone Num:213-861-6324

CAGE:EO073

===

Contractor Identification === Company Name:SHERWIN INC. Address:5530 BORWICK AVE.

City:SOUTH GATE

State:CA

ZIP:90280-7402

Country:US

Phone:562-861-6324/FAX 923-8370

CAGE:21405

Company Name: SHERWIN INCORPORATED

Address:5530 BORWICK AVENUE

Box:City:SOUTH GATE

State:CA ZIP:90280 Country:US

Phone:562-861-6324

CAGE:EO073

====== Composition/Information on Ingredients ========

Ingred Name:SODIUM SALTS

Fraction by Wt: 66.0%

Ingred Name: CARBONYLDIAMIDE

CAS:57-13-6

RTECS #:YR6250000

Frac

| Ingred Name:SODIUM CHROMATE (SARA III) CAS:7775-11-3 RTECS #:GB2955000 Fraction by Wt: 0.4% OSHA PEL:0.1 PPM CRO3;CEILING ACGIH TLV:0.05 MG CR/M3; 9192 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ingred Name:NON-IONIC SURFACTANT Fraction by Wt: 14.0% |
| =========== Hazards Identification ============ |
| Effects of Overexposure:MAY PRODUCE OCULAR OR NASAL IRRT., CHAPPED SKN. EXP TO HIGH CONC DUST MAY CAUSE PULM EFFCTS. |
| ====================================== |
| es |
| First Aid:NO SPECIAL AID NORMALLY REQUIRED. EYE: WASH 15 MIN WITH AMPLE WATER. CALL PHYS IF SYMPTOMS OR DISCOMFORT PERSISTS. |
| ====================================== |
| Flash Point:NONE Extinguishing Media:WATER, FOAM, CO*2, DRY CHEMICAL Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H*20 SPRAY TO COOL CONTR. |
| Unusual Fire/Explosion Hazard:NONE NOTED BY MANUFACTURER. |
| ====================================== |
| Spill Release Procedures:SWEEP OR VACUUM INTO CONTAINERS FOR DISPOSAL. |
| ============= Handling and Storage ============= |
| Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP CONTAINERS TIGHTLY CLOSED Other Precautions:SPARKS IN PRESENCE OF FLAMMABLE/EXPLOSIVE LIQUIDS. |
| ====== Exposure Controls/Personal Protection ======== |
| Respiratory Protection:NIOSH/MSHA APPROVED DU |
| |

tion by Wt: 20.0%

| Eye Protection:GOGGLES Other Protective Equipment:EYE WASH FOUNTAIN Supplemental Safety and Health IN INC DATED:1/86 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ====================================== |
| HCC:N1 Solubility in Water:COMPLETE Appearance and Odor:WHITE POWDER |
| ========= Stability and Reactivity Data ========= |
| Stability Indicator/Materials to Avoid:YES MINERAL ACIDS Stability Condition to Avoid:NOT KNOWN Hazardous Dec omposition Products:THERMAL DECOMPOSITION MAY GIVE OXIDES OF C,& N. |
| ======= Disposal Considerations ========== |
| Waste Disposal Methods:UNCONTAMINATED MATERIAL MAY BE TREATED AS NON-HAZARDOUS WASTE. DISPOSE IAW ALL LOCAL, STATE, FEDERAL REGS |
| Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and |
| assume responsibility for the suitability of this information to their |

ST RESP RECOMMENDED.

Protective Gloves:RUBBER

Ventilation:LOCAL

particular situation.