

FIBER-RESIN CORP -- FR-7010-A, PART A -- 8040-01-137-8442

=====
Product Identification
=====

Product ID:FR-7010-A, PART A

MSDS Date:02/08/1989

FSC:8040

NIIN:01-137-8442

Kit Part:Y

MSDS Number: BGNNK

=== Responsible Party ===

Company Name:FIBER-RESIN CORP

Address:170 W PROVIDENCIA AVE

Box:4187

City:BURBANK

State:CA

ZIP:91503

Country:US

Info Phone Num:213-849-4608

Emergency Phone Num:213-849-4608

C

AGE:26348

=== Contractor Identification ===

Company Name:FIBER RESIN CORPORATION, H.B. FULLER COMPANY SUBSIDIARY

Address:20701 NORDHOFF ST

Box:City:CHATSWORTH

State:CA

ZIP:91311

Country:US

Phone:818-882-3022

CAGE:26348

=====
Composition/Information on Ingredients
=====

Ingred Name:4-GLYCIDYLOXY-N,N-DIGLYCIDYLANILINE(CAS#5026-74-4),(40-60
WT%)

Fraction by Wt: 50%

=====
Hazards Identification
=====

LD50 LC50 Mixture:LD50 = 1000 MG/KG (RAT

)
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:IF CONTACTED, MAY CAUSE MODERATE
IRRITATION AND SENSITIZATION.
Effects of Overexposure:MODERATE IRRITATION & SENSITIBATION.
Medical Cond Aggravated by Exposure:NONE STATED.

=====
First Aid Measures
=====

First Aid:EYE: FLUSH EYES WITH WATER FOR 15 MINUTES; SKIN: WASH WITH
SOAP AND WATER AT FIRST OPPORTUNITY.
REMOVE CONTAMINATED CLOTHING
AND WASH BEFORE REUSE; INHALE: REMOVE TO FRESH AIR. GIVE OXYGEN IF
BREATHIN G IS DIFFICULT; INGEST: IF CONSCIOUS, GIVE LARGE
QUANTITIES OF WATER OR MILK. INDUCE VOMITING. CALL A PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point Method:CC
Flash Point:>200F/93C
Extinguishing Media:CO*2, FOAM, DRY CHEM & H*2O FOG.
Fire Fighting Procedures:WEAR SELF-CNTND BRTHG APP
Unusual Fire/Explosion Hazard:DECOMPOSITION PRODUCT
S MAY BE
TOXIC;VIOLENT EXOTHERMIC REACTIONS MAY OCCUR ABOVE 450F.

=====
Accidental Release Measures
=====

Spill Release Procedures:ABSORB ONTO SAND OR OTHER ABSORBENT
MATERIAL.SHOVEL INTO CLOSEABLE CONTAINER FOR DISPOSAL.FLUSH
CONTAMINATED AREA WITH WATER.

=====
Handling and Storage
=====

Handling and Storage Precautions:HANDLE AS TO AVOID PROLONGED OR
REPEATED PHYSICAL CONTACT. STORE IN CLOSED CONTAINERS IN COOL
(BELOW 40F), DRY AREAS.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE USUALLY REQUIRED.
Ventilation:GOOD GENERAL MECHANICAL VENTILATION AND LOCAL EXHAUST.
Protective Gloves:IMPERVIOUS GLOVES.
Eye Protection:SPLASH-PROOF CHEMICAL GOGGLES.
Other Protective Equipment:NONE
Supplemental Safety and Health
MSDS DATED 11-85.THIS IS PART A OF A TWO PART KIT.KEY1:J1.

=====
Physical/Chemical Properties
=====

HCC:N1
Decomp

Temp:Decomp Text:356F/180C

Vapor Pres:NIL

Spec Gravity:1.54

Solubility in Water: